# PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2001-325389

(43) Date of publication of application: 22.11.2001

(51)Int.Cl.

G06F 17/60 G06F 19/00

(21)Application number: 2000-143351

(71)Applicant: CANON INC

(22) Date of filing:

16.05.2000

(72)Inventor: UCHIO YUICHI


MOTOHASHI OSAMU

# (54) DEVICE AND METHOD FOR INFORMATION PROCESSING AND PROGRAM STORAGE MEDIUM

# (57)Abstract:

PROBLEM TO BE SOLVED: To provide an information processor, an information processing method, and a program storage medium which can efficiently manage intellectual property information.

SOLUTION: The information processor used for an examination system which allows plural persons to examine one item by communicating information through a network has a 1st communication means which allows one examiner to request a 2nd examiner to examine a specific item by attaching 1st information and a 2nd communication means for sending 2nd information which is not included in the 1st information when the examination is requested by the 1st communication means to the 2nd examiner for the examination of the specific item.



# **LEGAL STATUS**

[Date of request for examination]
[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]
[Date of final disposal for application]
[Patent number]
[Date of registration]
[Number of appeal against examiner's decision of rejection]
[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

#### \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2. \*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

#### **CLAIMS**

# [Claim(s)]

predetermined issue.

[Claim 1] The information processor used in the examination system by which two or more persons examine a single issue by communicating information through the network characterized by providing the following. The 1st means of communications which appends the 1st information from the 1st examination person to the 2nd examination person, and requests examination of a predetermined issue. The 2nd means of communications which sends the 2nd information which was not included in the 1st information of the above at the time of a request of examination by the 1st means of communications of the above to the examination person of the above 2nd for examination of the aforementioned predetermined issue.

[Claim 2] furthermore, the case where the examination person of the above 2nd has already requested examination from the 3rd examination person -- this -- the information processor according to claim 1 characterized by having the 3rd means of communications which sends the 2nd information of the above to the 3rd examination person

[Claim 3] Furthermore, the information processor according to claim 2 characterized by having the 4th means of communications which sends the 3rd information for supposing that the examination person of the above 2nd is accessible to the 2nd information of the above when the 2nd information of the above is sent to the examination person of the above 3rd by the 3rd means of communications of the above. [Claim 4] Furthermore, the information processor according to claim 1 characterized by having a detection means to detect the possessor of the aforementioned examination request. [Claim 5] The information processing method used in the examination system by which two or more persons examine a single issue by communicating information through the network characterized by providing the following. The 1st communication process which appends the 1st information from the 1st examination person to the 2nd examination person, and requests examination of a predetermined issue. The 2nd communication process which sends the 2nd information which was not included in the 1st information of the above at the time of a request of the examination in the communication process of the above 1st to the examination person of the above 2nd for examination of the aforementioned

[Claim 6] The program storage which memorized the program for performing the information processing method used in the examination system by which two or more persons examine a single issue by communicating information through the network characterized by providing the following. The code for performing the 1st communication process which appends the 1st information from the 1st examination person to the 2nd examination person, and requests examination of a predetermined issue. It is the code of an execution sake about the 2nd communication process which sends the 2nd information which was not included in the 1st information of the above at the time of a request of the examination in the communication process of the above 1st to the examination person of the above 2nd for examination of the aforementioned predetermined issue.

[Translation done.]

## \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

#### DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001

[The technical field to which invention belongs] this invention relates to an information processor, the information processing method and a program storage, the information processor that has a documentation-management function, the information processing method, and a program storage in detail.

[0002]

[Description of the Prior Art] Electronic processing of a patent-related document is progressing quickly, public presentation of the Patent Office issue through CD-ROM and electronic processing of a registration official report are begun in recent years, and an exchange of data using the so-called IT technology, such as application to the Patent Office by network connection and reception of the dispatch documents from the Patent Office, is becoming general.

[0003] Moreover, recently, the retrieval system using the Internet, public presentation of various information, etc. are performed briskly.

[0004] On the other hand, in each company, although the computer system for managing from before intellectual properties, such as a patent, a utility model, etc. which applied at its company, had been built, almost all the systems were what manages the data of bibliographic information like filing date of application, such as a patent, or an application number in a database etc., and mainly performs it for term management required with a key example etc.

[0005]

[Problem(s) to be Solved by the Invention] However, by electronic processing of the document mentioned above, and progress of a network environment, also about the document portion of the so-called patent application which consists of document formats, it manages electronically, and not only the usual term management but proposal management, and the patent office and network from an artificer are connected, and the need of managing application documents and the documents itself used by the exchange with the Patent Office is arising.

[0006] Examination cannot be turned to the next examination person until all documents will be assembled, supposing the next examination person cannot inquire unless all the material of the examination gathers, when a network is used and two or more persons examine the issue one by one, in order to draw up a certain documents especially, but the problem that the examination time in a total increases can be considered.

[0007] Then, this application aims at offering the information processor, the information processing method, and program storage which can build the efficient examination system in a network in view of this need.

[0008]

[Means for Solving the Problem] In order to solve the above-mentioned technical problem, the information processor of this application It is the information processor used in the examination system by which two or more persons examine a single issue by communicating information through a network.

The 1st means of communications which appends the 1st information from the 1st examination person to the 2nd examination person, and requests examination of a predetermined issue, It is characterized by having the 2nd means of communications which sends the 2nd information which was not included in the 1st information of the above at the time of a request of examination by the 1st means of communications of the above to the examination person of the above 2nd for examination of the aforementioned predetermined issue.

[0009] The mode of other invention of this application will become clear from the following detailed explanation and the publication of a claim.

[0010]

[Embodiments of the Invention] (Form of the 1st operation) With reference to an attached drawing, the form of operation of the 1st of this invention is explained below.

[0011] (The whole intellectual-property managerial system composition) <u>Drawing 1</u> is drawing showing the typical composition of the intellectual-property managerial system of the form of this operation. [0012] In <u>drawing 1</u>, 107 is the head office of the company which performs economic activities, such as research and development and manufacturing and selling, and contains the section which manages intellectual properties, such as a patent.

[0013] 104 is the intellectual-property administration and holds the document server 116, the management server 117, servers 118, 119, and 120, etc.

[0014] The document server 116 contains the document DB (database) for managing the bag which consists of a series of documents produced in the exchange with the document itself and the Patent Office which were created electronically. The management server 11 contains the term of the bibliography-information on an application number, a patent number, filing date of application, a registration day, and others, or office action of the Patent Office, and DB to manage. A server 118 includes the wide use DB which memorizes specific official reports, such as a Japanese patent and the U.S. patent. A server 119 constitutes the database (for example, quotation bibliographic database) of the application system which manages the below-mentioned workflow etc., or others. A server 120 carries out integrated management of the servers 116-119, and controls the whole \*\*\*\* intelligent manufacturing system program. When calling it a "system" with the form of this operation below, the system managed by the server 120 shall be pointed out.

[0015] All of these components are connected to the network 127 of a base. However, the component on this section may be realized by the same computer machine.

[0016] As a document in which it is stored in the document server 116 and deals, a usual text document, the usual drawing usually stored as image information have further a text, the mixed mode document with which the image was intermingled, the document of a format peculiar to a word processor, etc. The documents which were drawn up electronically and which are used by the exchange with the Patent Office and in-house documents are stored in the document database which the document server 116 has by the application system of a server 119. Usually, the number for specifying the document is given to this document database, and it is linked with the management database of the bibliography-item which it has in the management server 117.

[0017] 105 is an intellectual-property (\*\*\*\*) right-ized section, and it is the section which acquires the right of an intellectual property because a document exchanges with the Patent Office directly and indirectly.

[0018] 106 is a \*\*\*\* right-ized support section, for example, is a section which supports right-ization, such as electronic processing, term management, etc. of a patent application manuscript.

[0019] 101 is a section which does research and development, and contains the actual research-and-development section 102 and the development right-ized support section 103 which supports right-ization of the intellectual property in development.

[0020] Usually, as business, the \*\*\*\* right-ized section 105 and the \*\*\*\* right-ized support section 106 are premised on working a \*\*\*\*-related information input, document preparation, etc., and can work on the exclusive application screen of Client PC in principle. On the other hand, the research and development division 102 is usually doing research and development business, since it generates

subordinately, it can access the servers 116-119 of the in-house \*\*\*\* information management section 107 through an enterprise network, can display \*\*\*\*-related work as a Web screen, and can process it. The candidate can be told about the timing which should open a Web screen by sending an in-house E-mail to a candidate.

[0021] Two or more domestic affiliates in whom 108 exists in Japan, and 109 are two or more overseas affiliated firms who exist in a Japanese outside the country one. These are in the state in which communication in the state where security was guaranteed by dedicated lines (an E-mail, facsimile communication, etc. as which the transmitting side, the receiving side, and the transmission path of data are specified) is possible.

[0022] 110 is an enterprise group which consists of the head office 107, a domestic affiliate 108, and an overseas affiliated firm 109.

[0023] On the other hand, 111 is two or more external companies which perform joint research and development with an enterprise group 110. Both manage the result object of joint research and development based on a mutual contract, and work patent right-ization etc. To the above-mentioned system, transmission and reception of data are possible by the Internet.

[0024] 112 is two or more \*\*\*\* related offices which exist in Japan, and 113 is two or more \*\*\*\* related offices which exist in a Japanese outside the country one. Transmission and reception of data are possible for these by the above dedicated lines or Internet to the above-mentioned system.

[0025] 114 is Japan Patent Office and is connected with the online terminal between the above-mentioned systems.

[0026] 115 is the Patent Office of two or more foreign countries, and takes the necessary procedure mainly with a document through the overseas office 113 among the group companies 110.

[0027] Above each section has two or more terminals PC used for informational I/O etc., respectively. The constituent of each section has ID and a password, respectively, and can access directly and indirectly to an above-mentioned system.

[0028] More than one exist, and the client computer by which network connection was carried out to each section, respectively can display the data which servers 116-120 have, or can print the data which servers 116-120 have by the printer by specific format. Moreover, it has a scanner for an image input if needed.

[0029] The degree of an informational outflow is managed by two or more step story. For example, since all advanced information concentrates and it circulates freely between 123 and 124 (i.e., the inside of a \*\*\*\* information management section), it needs to apply severe regulation about it being [ both / of the information left from here ] quantitative (informational amount) and qualitative (informational kind).

[0030] Moreover, since the circulation range of informational becomes large, a limit is imposed on information flows, such as a ban on perusal section outside, and it is made for advanced information not to circulate in large quantities into a specific section between 122-125 (i.e., this in the company one). Between 121 and 126 (i.e., the inside of a group company), since the circulation range of informational becomes larger, the informational amount and the informational quality which flow into each section are regulated further.

[0031] On the other hand as a security check degree, the degree of a security check is determined according to the size of the amount of the circulating information, quality, and the risk of an information outflow.

[0032] (Information flow in an intellectual-property managerial system) <u>Drawing 2</u> is drawing showing the distribution channel of the information in the above-mentioned intellectual-property managerial system.

[0033] Among Japan Patent Office 114, the domestic office 112 or a \*\*\*\* right-ized support section performs an exchange of a document and data. Among the foreign Patent Office 115, the overseas office 113 performs an exchange of a document and data. The overseas office 113 performs an exchange of a document and data through the domestic office 112 or the \*\*\*\* right-ized support section 106. The electronic information which entered at home is registered into the system of the \*\*\*\* information

management section 104 if needed. If needed, to the \*\*\*\* right-ized support section 106, the \*\*\*\* right-ized section 105, the development right-ized support section 103, and the research and development division 102, information is supplied or the \*\*\*\* information management section 104 performs informational system registration. The external company 111, the domestic affiliate 108, and an overseas affiliated firm 109 perform an exchange of documents and data between each section of the head office 107 if needed.

[0034] <u>Drawing 3</u> is the example of the organization chart in the \*\*\*\* right-ized section 105, the development right-ized support section 103, and the research and development division 102. [0035] For example, the \*\*\*\* right-ized section 105 constitutes an organization called Head A as Manager B and a superior official of manager A-B as a superior official of Manager A and a section chief C as a section chief C and a superior official of section chief A-B as a superior official of a section chief A and a person in charge C as a superior official of person-in-charge A-B as a section chief B and a superior official of person-in-charge D-E.

[0036] Moreover, the development right-ized support section 103 constitutes an organization called Head B as Manager D and a superior official of manager C-D as a superior official of Manager C and a section chief F as a section chief F and a superior official of section chief D-E as a superior official of a section chief D and a person in charge H as a superior official of person-in-charge F-G as a section chief E and a superior official of person-in-charge I-J.

[0037] Moreover, the research and development division 102 expresses an organization called Head B as Manager D and a superior official of manager C-D as a superior official of Manager E and a section chief H as a superior official of a section chief I and a section chief G as a section chief H and a superior official of artificer D-E as a superior official of a section chief G and Artificer C as a superior official of artificer A-B. The person who constitutes the organization with the composition of an organization is matched, a name-of-a-person code (a worker's identification number) is table-ized, and the server 119 is made to memorize in this system.

[0038] It can make the function of a system easier to use for a user that the destination of documents (mail) can be set automatically automatically or error checking can be applied to the documents transfer from which sequence is different because of approval of a superior official by making the system memorize by using such organization information as a table etc. On the other hand, such organization information must be updated periodically, exact information must be maintained, and the maintenance may serve as a big load. As for whether such organization information is stored in a system, about the section which becomes easy to use a system even if it can also decide for every section and takes into consideration a section with little change, and the load of a maintenance, it is desirable to make a system memorize.

[0039] <u>Drawing 4</u> is drawing explaining the method of the database management in the form of this operation.

[0040] In <u>drawing 4</u>, 401 expresses the management DB included in the management server 117. The various management items 402 are memorized per issue here. And a management item can be set up from Screen 403 on Client PC.

[0041] 404 to 406 expresses the unit used as the unit of the documents creation about each issue. It is called "action" and the form of this operation of this unit defines the file case of imagination on the system an "action case" for this documents creation.

[0042] For example, to "action" 404 called application of the management number 1234567, the documents 407, such as a proposal which is the documents for an invention proposal in the company, an application, a specification, a drawing, and an epitome, are already drawn up, and the management data which accompanies application of filing date of application, an artificer, etc. is decided in Screen 408 on Client PC. It registers with the below-mentioned electronic bag 412 formed in the document server 116 about the former document 407, and registers with DB401 as a management item 402 about the latter management data. About a document 407, it can realize by stretching the electronic bag 412 and a link by accessing management DB401 about a management item again to display [ user ] this action case. [0043] Since it is in the state where application documents are not drawn up yet to "action" 405 called

application of the management number 1234578 now, only the proposal 409 is registered into the system.

[0044] Moreover, the procedure revision 411 is registered to "action" 406 called the notice of the reason for refusal of Japanese Patent Application No. No. 101 [ten to].

[0045] in addition -- as action -- law, such as a rejection, amendment rejection, a protest, a request for examination, and a procedure amendment instruction response, -- the management to the upper procedure can be considered

[0046] Moreover, although the quotation reference (quotation) 415 of examination by the Patent Office etc. can be considered besides the documents 413 for every issue as contents of the electronic bag 412 formed in the document server 116 about the perusal documents 414, such as a third person's patent information, and the issue of those, a quotation 415 may constitute DB in another server 119 as mentioned above, and can make it possible for the link of HTML to draw out information easily from access of an issue.

[0047] While the link is stretched from DB401 to the electronic bag 412, required data can be extracted from the document registered into the electronic bag 412, and it can also register DB401. Moreover, to the patent retrieval system 416 which a server 118 forms from DB401 and the electronic bag 412, the link is stretched and it can access now easily [ the issue 417 in the patent retrieval system 416 ] from the documents of the electronic bag 412.

[0048] The information on the patent retrieval system 416 has come to be able to carry out renewal of DB through the media 418, such as CD-ROM.

[0049] (Action case) <u>Drawing 5</u> is drawing for explaining the concept of an above-mentioned action case.

[0050] In drawing 5, 501 expresses a certain action case and 502 which is the contents, and 503 correspond to the application action 404 of above-mentioned drawing 4, and documents 407, respectively. Moreover, 504, 505, 506, and 507 correspond to 405, 409, 406, and 411, respectively. [0051] This action case is the file of imagination on a system as shown in 508. as mentioned above, in it The kind which shows the unit of actions, such as application and a reason for refusal, as a written item, The generating day of an action case, an end day, the name of an action case (thing of representation which expresses this case when two or more documents go into a series of actions), A legal expiration date, the return day of choice of an action case (expiration date of the processing to those who next process a case), The cover 512 with which the circulation history information on the comment to the next man, a related issue number, and an action case (it is shown via what man the case came to its place) etc. was indicated is inserted. Moreover, the documents 509 required for the processing and the DB item 510 by which a screen input (display) is carried out are inserted, and further, when it creates as a result of [511] processing (for example, a revision proposal), the revision proposal is inserted by the processing person. The person who received the action case uploads his contents of processing to a system, the processing result 511 is registering with the electronic bag 412, and insertion completes it. [0052] In addition, it is able for the concept of an action case to divide into a shorter unit, for example, proposal creation, a manuscript check, etc. for it to be able to deform. Moreover, two or more Patent Office exhibits can be summarized, and it can also be made to move and process as one action case. [0053] The example of an action case is shown in <u>drawing 6</u> - <u>drawing 8</u>.

[0054] The reason response case for refusal for the application case where <u>drawing 6</u> draws up application documents, and <u>drawing 7</u> answering the reason for refusal, and drawing 8 are the rejection response cases for answering to a rejection.

[0055] The timing of action case generating, the processing at the time of generating, the timing of disappearance, the processing at the time of disappearance, the documents relevant to the processing, etc. are defined to each process (action). A request for examination etc. can define other processes similarly.

[0056] <u>Drawing 9</u> is drawing explaining the example of the examination path of action in organization composition as shown in <u>drawing 3</u>. For example, (1) is Example 1 of an examination request form, and it shows the path in which an action case passes into Artificer A via a person in charge F, Manager E,

and a section chief G from a person in charge A. For example, examination of the reason for refusal etc. corresponds to this pattern. (2) is Example 2 of an examination request form, and an action case is an example over Artificer A direct automatically from a person in charge A. For example, the check of an application manuscript etc. corresponds to this pattern. (3) is Example 3 of an examination request form, and it is the case where specify the arbitrary partner points sequentially from a person in charge A, and even the examination person turns the action case.

[0057] The person in whom (3) received the case turns the case to the target person by his judgment according to the in-house rule to a system managing a workflow and a case turning around (1) and (2) automatically. From the point of automation of processing, while the former is excellent, the former has the fault of applying to the flexibility of the processing in an in-house. With the form of this operation, systems operation is made to be made by considering as the system which supports both sides flexibly according to the kind of action, the situation for every section, etc.

[0058] Similarly, drawing 10 is drawing explaining the example of the path of recognition of an action examination result. For example, (1) is Example 1 of a recognition form and it shows the path in which an action case passes into Head A from Artificer A via a section chief G, Manager E, Head C, a person in charge F, a section chief D, Manager C, Head B, a person in charge A, a section chief A, and Manager A. For example, recognition, acceptance, etc. of an invention proposal correspond to this pattern. (2) is Example 2 of a recognition form and an action case is an example over a person in charge A direct automatically from Artificer A. For example, the check of an application manuscript, the reply in emergency, etc. correspond to this pattern. (3) is Example 3 of an examination request form, and it is the case where specify the arbitrary partner points sequentially from Artificer A, and even the last recognition person turns the action case.

[0059] The form of (3) is established by the reason same also about the case of recognition as an abovementioned examination request.

[0060] Drawing 11 expresses the table showing examination of action shown in drawing 9 and drawing 10, and the path pattern of recognition. (1) is an examination path pattern and it has indicated the patterns from A001 to A005 as an example. For example, a system generates an action case automatically and A001 is a pattern around which an action case turns from the section chief of a person in charge and a development right-ized support section from the section chief of the research and development division to a person in charge and a person in charge from the section chief of a \*\*\*\* right-ized section. Moreover, (2) is an examination result recognition path pattern, and it has indicated the patterns from B001 to B005 as an example. For example, after an action case turns around B002 to the person in charge of a \*\*\*\* right-ized section from the person in charge of the research and development division, a system carries out automatic registration of the examination result.

[0061] By registering two or more such path patterns into the server 119 beforehand, workflow management is smoothly controllable. Moreover, change becomes possible easily about the workflow of an action case only by rewriting of a table by table-izing the path pattern. moreover, this table -- as A000 and B000 -- the arbitrary path of partner point specification -- \*\* -- the pattern to say can also be defined

[0062] Drawing 12 shows the pattern selection table for assembling a workflow freely to (4) (3) \*\*\*\* right-ized person-in-charge exception classified by section using the pattern table of drawing 11. For example, A001 is chosen as an action examination path pattern, and the development section A chooses B001 as an examination recognition path pattern. Or A001 is chosen as an action examination path pattern, and a person in charge A chooses B005 as an examination recognition path pattern. By having such a pattern selection table, the customize for every person in charge is attained the whole section. Moreover, it may have a pattern table for every kind of action case, or you may have a selection table. [0063] Drawing 13 is a flow chart which shows a flow setup of an action case. [0064] First, it judges whether organization information as shown in drawing 3 by S1300 is registered

into the system, and judges whether it is set up so that the section alternative-pathway pattern table of drawing 12 (3) may be applied by S1301. When applied, by S1302, a section alternative-pathway pattern table is searched, a system sets examination request / recognition path automatically to the action

case concerned, and S1304 performs actual action case processing S1303. On the other hand, in not applying a section alternative-pathway pattern table, it judges whether by S1305, it is set up so that a \*\*\*\* right-ized person-in-charge alternative-pathway pattern table may be applied, and when applied, by S1306, a person-in-charge alternative-pathway pattern table is searched, a system sets examination request / recognition path automatically to the action case concerned, and S1304 performs actual action case processing S1307. On the other hand, in not applying a person-in-charge alternative-pathway pattern table, by S1308, to the action case concerned, the system defined examination request / recognition path beforehand, and it carries out default mode automatic setting.

[0065] Moreover, when there is no organization information, the mode which inputs the partner point by the manual by S1309 is set up.

[0066] As mentioned above, movement of an action case is efficiently manageable with organization information and the combination of a path table and a selection table.

[0067] (Following function of an action case) <u>Drawing 14</u> is drawing explaining the following function of documents in which it should go into an action case.

[0068] In this example, a system 1401 presupposes that an examination request turns around the action case generated automatically in order of a person in charge A (1403), a person in charge F (1404), Manager E (1405), a section chief G (1406), and Artificer A (1407). in this case, the part among the quotation reference indicated by the notice of the reason for refusal when the system 1401 generated the action case -- if time holds the action case to this quotation reference acquisition in the system at acquisition at this time, the time for a substantial examination will be lost vainly and efficiency will become bad

[0069] On the other hand, even if some quotation reference cannot be found, it can make a suitable judgment in many cases about the processing which determines an examination person, until it passes into the examination person who actually considers the response to the notice of the reason for refusal. [0070] Then, it is in the state which has non-received documents in part in the gestalt of this operation at an action case in such a case. When circulation is started and required documents come to hand later, a system 1401 inserts in the case of the holder of an action case the reference which came to hand in other sections 1402, such as a data section, by following. The mail for telling that the reference was inserted is sent to the person who already circulated the action case.

[0071] In addition, the documents of following may be shipped from the section (man) which is not a section (man) which generated the examination request of a basis as mentioned above, and the same section (man) is sufficient as them.

[0072] <u>Drawing 15</u> is a flow chart which shows documents following processing.

[0073] First, if a system receives documents, when it judges whether the flag (identification code for discriminating related publications) of related publications is attached to the documents and the flag of related publications sticks by S1501 S1502, the action case of related publications is detected by S1503. And by S1504, already, by dispatch ending, an action case judges whether it is separated from the hand of a system, adds and ships the documents newly received in the action case of related publications to a case in \*\* S1505, and moves to processing of the action case of S1507. On the other hand, when finishing [ dispatch of an action case ] already, while adding new documents to the action case of the person holding the action case of the present related publications, the mail which tells the purport of a documents addition to the man before the person holding the action case, i.e., those who have already appeared in the circulation history, is shipped. The person who received this mail can peruse the newly added documents. The documents of the addition itself may be appended to mail, and you may make it accessible by indicating the address on DB of additional documents. In this case, although those who have already turned the action case cannot register documents, such as a revision proposal, to the action case, required documents can be registered, when important processing needs to be temporarily performed to the action case, I have the action case returned or an examination result comes on the contrary.

[0074] Moreover, when there is no flag of related publications, the usual processings, such as generating of a new action case, will be performed by \$1509.

[0075] The above functions of documents following can examine efficiently, using the limited examination time effectively. The above following functions of documents can be applied not only to examination of actions (notice of the reason for refusal etc.) of the above patents but to any examination which performs a certain examination (a transfer and recognition are included) by two or more persons on a network, and can attain the increase in efficiency of the examination on a network.

[0076] (Copy function of an action case) <u>Drawing 16</u> is drawing explaining the copy function of an action case.

[0077] As operation of an above-mentioned action case, it is typical like \*\* of drawing 16 that the person who received the action case 1601 turns to the next man as 1603 as 1602 as it is. On the other hand, while he processes as 1605, when the person who received the action case 1604 wants to inquire also in parallel to the next man as shown in \*\*, it may be. In such a case, the copy case 1607 can be taken out with the system of the form of this operation to examination of people, creating the copy case 1607 of the action case 1605, and he owning 1605. However, as a rule in this case, the person who created the copy case is copied and surely decides to unify the case 1608 which has returned as a result of examination. That is, returning to the man of even if it dividing the requested action case forbids in principle.

[0078] Although it is possible that the owner of 1610 turns to examination which copied, divided into 1611 and 1612 and was concurrent with them to the case 1609 to which it came not only from an above-mentioned thing but from the requesting agency as a use gestalt of a copy case, suppose that it is scattering as it is and 1613 which has returned, and 1614 are not returned to a requesting agency, but the person who created the copy collects with responsibility and a client is returned.

[0079] Drawing 17 is drawing which expresses the operation of a copy case more concretely. [0080] The action case 1701 to which it came from the \*\*\*\* right-ized support section has the copy case 1709 created, and is sent to other sections while it has an examination written request drawn up in a \*\*\*\* right-ized section and is sent to a development right-ized support section as 1702. In a development right-ized support section, while sending the examination written request of a case 1703 to a development section as an attached paper of an E-mail, a copy case is created and the examination written request of the copy case 1705 is sent to another development section as an attached paper of an E-mail. In a development section, 1704 and the examination result 1706 are edited, respectively and a development right-ized support section is returned as 17081707, respectively. Both coalesce, and are unified here and the \*\*\*\* right-ized section which is a requesting agency is returned. Here, after the examination result 1710 currently turned to examination at other sections coalescing, being unified by 1711 and drawing up and adding required documents, it is turned to type request processing in a \*\*\*\* right-ized support section etc.

[0081] Two or more men for a short period of time can examine a request matter efficiently by using the above copy functions of an action case.

[0082] Drawing 18 is drawing showing an example of the communication-of-information method within a development section (when an examination person specifies the next examination person one by one). [0083] First, if the examination written request 1804 comes by mail from a \*\*\*\* section, a representation artificer and a person in charge 1801 direct transmission with the transmitting button embedded as macroscopic on [ after entering a required examination item and the next examination person in documents 1804 on its own PC terminal ] the documents. While documents 1804 are registered into a system and the document server 116 memorizes with this transmitting button, mail 1805 is transmitted to the next examination person (recognition person). And while writing down an item in this appearance of the next superior official 1802 on documents 1806 and registering with a system, mail 1807 is transmitted to a superior official 1803.

[0084] The above workflow is managed by the system, an examination person inputs the next examination person (recognition person), a transmitting button is only pushed, and system registration and mail transmission are made to be performed.

[0085] <u>Drawing 19</u> is a flow chart which shows the bill processing from the \*\*\*\* related office in this system. By S1901, if documents (for example, the notice of the reason for refusal, an opinion document

and a revision proposal, an application manuscript, the manuscript for foreign application, etc.) are received from engines other than the Patent Office (for example, a patent office, a translation office, etc.), it will check whether the identification number at the time of a service request is appended S1902. If the identification number sticks, when not being moved and attached to S1906, documents are inputted into DB by S1903, an identification number is published by S1904, and an identification number is sent to a \*\*\*\* related office by S1905. In S1906, a bill is received and the items (kind etc.) of an identification number and documents are checked. For example, to the identification number in the item of a creation request of an application manuscript, if the contents of a bill are the claims by the item of the notice response of the reason for refusal, it will become an error. Moreover, when displaying that, and not making a mistake in and coming out of it on the client PC in the company, when there is a claim more than the fixed amount beforehand set as the system to the kind of each service for example, cannot check with off-line (for example, a telephone, FAX, etc.), a manual can perform the notice of an error. [0086] By S1907, if the item and the identification number are in agreement, and it is in agreement, and if it seems that it is \*\*\*\*, while performing an error message by S1908, that will be notified to a \*\*\*\*

Foods of the reason that it is any resending of a bill by S1909.

[0087] As mentioned above, it becomes that it is easy to make the contents of service, and a bill link on a system by attaching ID to the requested service, and collating and checking with the contents at the time of delivery of service.

[0088] (Form of the 2nd operation)

(The whole intellectual-property managerial system composition) <u>Drawing 20</u> is drawing showing the typical composition of the 2nd of the intellectual-property managerial system of the form of operation of this application.

[0089] Although fundamental composition and function are the same as that of <u>drawing 1</u>, and the system of <u>drawing 1</u> does not ask in and outside the country but it is premised on online-ization by the network, the forms of this operation are the following points and differ from the form of the 1st operation.

[0090] 128 and 129 are public lines and can communicate facsimile data through this circuit. \*\*\*\* rightized support section 106, overseas office 113, and domestic office 112 and others are equipped with at least one-set facsimile apparatus. Although it is perfect online [ like / the form of the 1st operation of a \*\*\*\* / as an ideal form of the whole system ], an E-mail and the environment which cannot use Web may arise transitionally.

[0091] Then, in this example, a paper medium and facsimile communication are used as auxiliary means of communications.

[0092] <u>Drawing 21</u> is drawing showing the example of OA equipment currently installed in the \*\*\*\* right-ized support section 106.

[0093] Clients 2101, 2102, and 2104, the high-speed scanner printer 2103, and a high-speed scanner printer and a FAX compound machine 2105 are connected to the trunk-line data service network 127. Moreover, PC2102 has the function of the server of the scanner printer 2103, and PC2104 has the function of the server of the compound machine 2105. It is 2109 analogs or a digital public line, and the compound machine 2105 uses for transmission and reception of facsimile data. 2106, 2107, and 2108 are facsimile apparatus of a stand-alone, and perform facsimile communication through public lines 2110, 2111, and 2112, respectively.

[0094] Reception of the information by facsimile is performed from an external engine, such as the overseas office 113 and the domestic office 112, to the \*\*\*\* right-ized support section 106.
[0095] At this time, in case of (what the reply term is pressing for) emergency, a sending agency performs FAX transmission to the number of the circuit 2109 only for urgent in two or more circuits, and uses a sheet as shown in drawing 22 for them as a covering page of facsimile.
[0096] In drawing 22, a case number, its bar code 2206 for OCR, a legal expiration date and its bar code 2207 for OCR, a sending documents name and its bar code 2208 for OCR, the example number of quotation and its bar code 2209 for OCR, and other bibliographic information and its other bar code 2210 for OCR are indicated by the cover sheet 2201, and it is read into it by the transmitting side. 2202

is for example, office action (notice of the reason for refusal), and, as for the quotation reference of the 1st affair, and 2204, 2203 is [the quotation reference of the 2nd affair and 2205] the quotation reference of the 3rd affair.

[0097] Thus, by receiving what indicated bibliographic information with the code for OCR to FrontPage, from the facsimile data incorporated through the compound machine 2105, a server 2104 can recognize processing information and can offer the electronic data of bibliographic information to a system. Moreover, the office action 2202 and the quotation reference 2203-2205 can also be incorporated to a system as fax millimeter data (electronic data). The bibliographic information extracted from FrontPage is registered into the management server 117, and an above-mentioned action case generates it automatically by the server 119 according to the legal term or the specification reply term to an office. On the other hand, the facsimile data of 2202-2205 are registered into the document server 116. G3 method or G4 method is sufficient as facsimile data, and they may be compressed data, such as JBIG. After a database input, especially the thing for which facsimile data are used as the data of a hierarchy coding method like JBIG like the system of this example in the system which can be incorporated in a direct database is effective, in case a user uses it.

[0098] The flow chart showing the flow of the above processing is shown in <u>drawing 23</u> and <u>drawing 24</u>.

[0099] Waiting and when it receives, the FAX server 2104 recognizes reception of FAX using the information OCR on an above-mentioned covering letter by S2302 S2301. In the form of this operation, the item information (case number) for specifying the issue which a server 117 manages, the term information on this action, the documents name information on the documents sent, the quotation document information of the Patent Office dispatch appended, etc. are contained in facsimile data. And while management information is registered into a server 117 by S2302 and the document data of 2202-2205 are registered into the document server 116, a server 119 specifies a case number and is automatically generated in an action case. An expiration date is set up and carried out by S2305 (both terms are set up, when management of a legal term is sufficient and there are a legal term and the appointed term of an office). And by S2306, while a server 119 transmits an action case to a \*\*\*\* rightized section person in charge, the mail which tells a \*\*\*\* right-ized support section person in charge and a \*\*\*\* right-ized section person-in-charge superior official about the urgent action case having entered is transmitted.

[0100] Next, if the system is checked [ how it is and ] by S2307 in whether the action case after predetermined-time (for example, 3 hours) progress was accessed by the \*\*\*\* right-ized section person in charge (were opened?), a person in charge will move to examination of the action in S2310. On the other hand, when the action case is not opened, by S2308, the Lima India mail is transmitted to a \*\*\*\* right-ized support section person in charge and a \*\*\*\* right-ized section person-in-charge superior official, a \*\*\*\* right-ized support section person in charge or a \*\*\*\* right-ized section person-in-charge superior official pulls up an action case compulsorily by S2309, and an action case is resent to other person-in-charge reliance, or it processes by oneself.

[0101] After action examination is S2401, sends an action reply by the system course or FAX, and registers the bibliographic information of a reply in action into DB of the management server 2402 by S2402. And 119 publishes the identification number to an action reply (reply request) by the serverS2403, and an identification number is sent to the receiver's address of an action reply by S2404. Then, if the bill from the receiver's address of an action reply is received by S2405, the item and others of a bill are in agreement by S2406, and it is not [ the amount billed is paid and ] in agreement by S2409, and a notice at an error message and the partner point is performed by S2407 and there is resending by S2408, the above-mentioned check will be repeated.

- [0102] In addition, you may be made to publish the above-mentioned identification number at the urgent time of facsimile reception or generating of an action case.
- [0103] Moreover, payment of a claim may be performed on-line and may be performed off-line.
- [0104] <u>Drawing 25</u> is drawing explaining the composition of the display screen for a user checking the processing situation of an action case.

- [0105] <u>Drawing 25</u> (1) is drawing showing the example of the display screen, when a \*\*\*\* right-ized section person in charge checks an action case processing situation on Client PC.
- [0106] "Opening" whose previous man who sent the action case indicates whether it accessed the action case as a display item, "Return" which shows whether return of the action case was received, the "action case name" showing the kind of action case, The sender of the "sending day" which shows the date which sent the action case, the "receiver's address" which shows the receiver's address, and an action case sets up, and "the legal term" which shows the presentation term to the "appointed term", the Patent Office, etc. which show the term of action examination is displayed in order.
- [0107] An example of the rule of the method of a display is explained below.
- \*\* A system detects through a network that the action case had access by the receiver's address, and it carries out marking to the box of "opening."
- \*\* If it measures from a sending day and "it is not opened" after progress for N days (for example, three days), carry out Lima India visually to a \*\*\*\* right-ized section person in charge to the action case by required display (for example, paint is carried out in yellow).
- \*\* If it passes over the appointed term, irrespective of "whether it is opened" or not, paint will be carried out by different color (for example, blue) from \*\* to the action case, and Lima India will be visually carried out to a \*\*\*\* right-ized section person in charge (however, paint is not performed about that with which return can already be managed).
- \*\* If it becomes M-day before a legal term (for example, seven days before), irrespective of "whether it is opened" and or not whether it has passed over the appointed period, paint will be carried out by different color (for example, red) from \*\* and \*\* to the action case, and Lima India will be visually carried out to a \*\*\*\* right-ized section person in charge.
- \*\* About the action case generated by urgent FAX, irrespective of "whether it is opened" or not, carry out paint in the same color as \*\*, and carry out Lima India visually to a \*\*\*\* right-ized section person in charge.
- \*\* The above-mentioned display parameter (conditions of paste minds, such as a numeric value of N and M and a color of paint) makes customize possible, when a \*\*\*\* right-ized section person in charge sets up conditions on Client PC and makes the non-volatile memory in the client PC memorize.

  [0108] Following drawing 26 is drawing explaining the composition of the display screen for a user checking the processing situation of an action case.
- [0109] <u>Drawing 26</u> (2) is drawing showing the example of the display screen, when a \*\*\*\* right-ized section person-in-charge superior official or a \*\*\*\* right-ized support section person in charge checks a \*\*\*\* right-ized section person's in charge action case processing situation on Client PC.
- [0110] As a display item, the \*\*\*\* right-ized section person in charge who takes charge of an action case "Opening" which indicates whether it accessed the action case, "A request" which shows whether the action case was turned to the examination request, The "action case name" showing the kind of action case, the "receiving day" which shows the date on which the \*\*\*\* right-ized section person in charge received the action case, The sender of a "person-in-charge name" and an action case who shows a \*\*\*\* right-ized section person-in-charge name sets up, and "the legal term" which shows the presentation term to the "appointed term", the Patent Office, etc. which show the term of action examination is displayed in order.
- [0111] An example of the rule of the method of a display is explained below.
- \*\* A system detects through a network that the action case had access by the \*\*\*\* right-ized section person in charge, and it carries out marking to the box of "opening."
- \*\* A system detects through a network that the \*\*\*\* right-ized section person in charge took out the action case to the examination request, and it carries out marking to the box of a "request."
- \*\* If it measures from a person-in-charge receiving day and "it is not opened" after progress for P days (for example, seven days), carry out Lima India visually to a \*\*\*\* right-ized section person's in charge superior official to the action case by required display (for example, paint is carried out in red).
- \*\* If it measures from a person-in-charge receiving day and "it is not requested" after progress for Q days (for example, ten days), carry out Lima India visually to a \*\*\*\* right-ized section person's in

- charge superior official to the action case by required display (for example, paint is carried out in vellow).
- \*\* About the action case generated by urgent FAX, irrespective of "whether it is opened" or not, carry out paint in the same color as \*\*, and carry out Lima India visually to a \*\*\*\* right-ized section person's in charge superior official.
- \*\* The above-mentioned display parameter (conditions of paste minds, such as a numeric value of P and Q and a color of paint) makes customize possible, when a \*\*\*\* right-ized section person's in charge superior official sets up conditions on Client PC and makes the non-volatile memory in the client PC memorize.
- [0112] It is realizable when a server 119 confirms periodically whether whether the action case was accessed had access to the examination written request currently held as an attached paper of for example, an action case at the document server 116.
- [0113] It enables the 3rd person to process instead of Lima India in the bad condition of mail, his mail oversight, etc. under a network environment by forming the above access check tools.
- [0114] (compulsive raising of an action case) As mentioned above, the people (for example, person who sent the action case to an action case holder's superior official, the person in charge of the administration, and its holder) with predetermined authority can pull up an action case compulsorily at their hand.
- [0115] This rewrites the information on the workflow managed table of a server 119, and can realize it by changing the holder of an action case. Such a function is especially effective, when the holder of for example, an action case is absent at a business trip and processing of an action case is likely to be overdue.
- [0116] At this time, mail including information, such as information of the purport which had compulsive raising to the holder of the present action case, and the person who raised, and raising time, is sent to the holder of the present action case. Thereby, an action case possessor can recognize what the action case which he possessed was able to pull up.
- [0117] Moreover, oneself may process \*\* for examination, recognition, etc., and after raising may perform examination request / recognition request to another thing.
- [0118] The above tool can be used also for the system of the form of the 1st operation.
- [0119] <u>Drawing 27</u> is a flow chart which shows the method of an input to a system in case the documents sent by above-mentioned facsimile are sent by the paper medium.
- [0120] First, a \*\*\*\* right-ized support section receives the documents of paper by S2701. As a covering letter of these documents, the same thing as 2201 of drawing 22 is used.
- [0121] A \*\*\*\* right-ized support section person in charge is made to read a covering letter with the image scanner of 2103 by S2702. The scanner server 2102 recognizes the information on a covering letter by S2703. By S2704, a case number is specified, the management server 117 of a system is accessed by S2705, and the bibliographic information screen of the case concerned is displayed on the display of 2102 which is Client PC.
- [0122] Next, an attached paper (for example, notice of the reason for refusal) 2202 is inputted by S2706. In a certain case, it judges whether there is any appending of quotation reference by S2707, it judges how [ that is memorized by the server 118 from which the quotation reference constitutes DB of quotation reference ] it is, and when having already memorized, the scanner input of the quotation reference is not performed. When he is urged to, carry out the scanner input of the quotation reference of a correspondence number by S2709 on the other hand at a \*\*\*\* right-ized support section person in charge when the reference is not in the quotation reference DB on the screen of PC and there is other quotation reference, processing of S2709 is repeated from the above S2708. Henceforth, since processing of drawing 28 of S2801 to S2806 is the same as that of S2305 to S2310 of drawing 23, the explanation is omitted. Moreover, the same is said of processing of drawing 24.
- [0123] (bibliographic database) <u>Drawing 29</u> <u>drawing 33</u> are drawings of the display screen of the client PC for explaining the operation of the quotation bibliographic database built by the server 118.
- [0124] <u>Drawing 29</u> indicates the related data of every case number (issue) by list. 2901 is a case number

and is the reference number of the application for each country of the company. In this example, the alphabetic character of country discernment is combined behind five digits. 2902 is a familiar number and the contents of application express an equivalent application group substantially. 2903 is the application name of a country, and means that application of US (U.S.), EP (Europe), AU (Australia), and JP (Japan) exists in this case. 2904 is a reference list relevant to U.S. application called case number 12345US, and is quoted mainly by examination by the U.S. Patent Office. In this example, listing of the three affairs, a reference number "12000 (its company familiar number)", "JP,05-12345,A", and "USP123456", is carried out. The item of the differentiation point in an acquisition place, an acquisition day, an outline, the part for the reason for refusal, and this application etc. is displayed for every reference number. 2905 -- the family (US, EP, AU, JP in this case) of the case -- all related reference is displayed namely, -- this example -- except US, in "USP123456" and CA case, in EP case, four affairs of "JP.06-12345.A" are quoted in "USP123456" and JP case in "DE1200001" and AU case, and the acquisition place (for example, search report (SR)), an acquisition day, an outline, etc. are displayed, respectively furthermore, the U.S. -- (US) and China -- or IDS (information disclosure procedure) was completed by (CN) -- \*\*\*\* -- the IDS information which shows whether it is necessary or or to carry out is also united and displayed this IDS information -- drawing 29 -- like -- US and CN -- uniting -- one flag -- you may display -- US and CN -- it may divide, respectively, and may have information and you may make it display independently [ two or more ]

[0125] Thus, while being able to prevent IDS leakage by being familiar, enabling it to display related reference, and performing the display which moreover shows the state of IDS of related reference, in the case of right-izing of each country, it becomes easy to take the example of examination quotation in other countries into consideration, and an effective efficient right can be acquired.

[0126] Drawing 30 is the reference reverse length display screen (Type 1), and 3001 expresses a reference number. 3002 is the bibliographic information, for example, displays the present condition, an application number, filing date of application and a priority basic application number, a priority day and a open number, a open day and a public notice number, a public notice day and a registration number, and a registration day. 3003 and 3005 are guide displays, are uniting the cursor of a mouse, and display the functional description of the portion. 3004 is the outline of this reference. 3006 carries out listing of the issue (case number) of company by which this reference was quoted. Here, if a case number is clicked, the its company application information registered into the server 116 can be accessed. Moreover, the item of the point of differentiation with an item (career units, such as office action), its date, the reason part for refusal, and this application etc. is displayed for every case number here. [0127] Thus, the point at the time of other cases performing differentiation with the reference can be immediately found out by extracting and displaying the case number of company which uses reference as a key and by which the reference was quoted, and there is an effect of being able to examine office action efficiently.

[0128] <u>Drawing 31</u> is the reference reverse length display screen (Type 2), and 3101 expresses a reference number. 3102 is a correspondence foreign application reference button, and if this button is pushed, a link with the patent reference DB of a server 118 is taken, and it can see the document of families (for example, the U.S. application, Japanese application, etc.). 3103 is a button for requesting the in-house procedure which keeps watching for the situations (registration, disappearance, etc.) of this reference automatically. 3104 indicates the familiar bibliographic information of this reference quoted in one of cases by list. 3105 reverse-lengthens the number of the case where reference was quoted, and displays it as a case list. For example, it comes to turn out that "USP12345" is the reference quoted by the case number "12345US", "12345 AU", and "098765JP" at a glance.

[0129] <u>Drawing 32</u> displays the result (1 career unit of one issue) of office action examination exchanged in an action case. In the name of a development right-ized support section person in charge and a \*\*\*\* right person in charge, a contact, and 3203, an outline in this case and 3204 show the recognition mark, and 3205 shows [ 3201 / a case number in this case and 3202 ] the kind of office action. 3206 displays the in-house product and the its company operation schedule that invention of this case is carried out, and the product of the other company. 3207 is the comment of a development section

and a development right-ized support section examination person. 3208 is a list of reference quoted in the case, and the flag and the outline of a quotation which show whether the advanced-technology indication of the reference was carried out by US and CN, the reason correspondence part for refusal, and the item of the point of the differentiation in this invention are displayed.

[0130] <u>Drawing 33</u> is the display screen of the related reference in each issue (case) unit. For a case number and 3302, as for the bibliographic item of related reference, and 3304, the present condition of this case number, bibliographic items, such as application, public presentation, and a registration number, and 3303 are [ 3301 / the outline of the reference and 3305 ] the lists of the acquisition date of the reference, the acquisition method, the reason correspondence part for refusal, the point of differentiation, etc.

[0131] As mentioned above, efficiency document retrieval and a display in an issue and a career unit, and when issue reference and a display of a reference unit are still attained and right-ized processings, such as examination of the notice of the reason for refusal, are performed can be sharply raised by having related document information for every application issue and career. Especially, under a network environment, in performing PEPARESU of documents, the database of the reference in such each issue and each career unit becomes effective.

[0132] <u>Drawing 34</u> -36 are a table for explaining the definition of DB management item for building the above databases.

[0133] <u>Drawing 34</u> is information which it has per 1 reference, and is a table which defines a country, a quotation number, a reference number, a open number, a open day, a retroactivity day, an application number, filing date of application, a public notice number, a public notice day, a registration number, a registration day, a keyword, an outline, a memorandum, and a familiar item. An outline, length, the attribute, the input person, the check person, and the note are defined to each item.

[0134] For example, the subject name a "country" meant the issue country of the reference, and length defines that an English number of two characters, and an input person and a check person have an indispensable input as an office section (\*\*\*\* right-ized support section) and a note. A bibliographic database is built according to such a rule.

[0135] <u>Drawing 35</u> is information which it has per 1 issue (it corresponds to a case number), and is a table which defines the item of File No, a quotation number, IDS existence, a IDS kind, an acquisition day, and an acquisition place. It is the method of the same definition as <u>drawing 35</u> to each item. [0136] For example, to the item "FileNo.", it was set in the purport specified to a country, and, as for an attribute, this item defines that it is what connects the advanced technology and this issue as a system automatic input, check person nothing, and a note, as for an alphabetic character and an input person. [0137] <u>Drawing 36</u> is information which it has per 1 quotation of 1 career (it corresponds to an abovementioned action case) of one issue (it corresponds to a case number), and defines the item of a career number, a quotation number, the part for the reason for refusal, and the differentiation point. It is the method of the same definition as <u>drawing 35</u> to each item.

[0138] For example, to the item of a "quotation number", the alphabetic character, and an input person and a check person define [ the attribute ] it as an input being indispensable as an office section and a note.

[0139] The above DB managements, reference, and a display are attained by inputting the item defined as mentioned above.

[0140] This invention supplies the storage which recorded the program code of the software which realizes the function of the operation form mentioned above to a system or equipment, and can attain it also by reading and performing the program code with which the computer (or CPU and MPU) of the system or equipment was stored in the storage.

[0141] In this case, the function of the operation form which the program code itself read from the storage mentioned above will be realized, and the storage which memorized the program code will constitute this invention. As a storage for supplying a program code, a floppy (registered trademark) disk, a hard disk, an optical disk, a magneto-optic disk, CD-ROM, CD-R, a magnetic tape, nonvolatile memory card, ROM, etc. can be used, for example.

[0142] Moreover, by performing the program code which the computer read, a part or all of processing that OS (operating system) which the function of the operation form mentioned above is not only realized, but is working on a computer based on directions of the program code is actual is performed, and when the function of the operation form mentioned above by the processing is realized, it is contained.

[0143] Furthermore, after the program code read from the storage is written in the memory with which the add-in board inserted in the computer and an expansion unit are equipped, based on directions of the program code, a part or all of processing that CPU with which the expansion board and expansion unit are equipped is actual is performed, and the function of the operation form mentioned above by the processing is realized.

[0144] Moreover, arbitrarily, you may deform and views, such as a workflow in the form of the above operation, database creation, and a system configuration, may be combined.
[0145]

[Effect of the Invention] According to this invention, as mentioned above, by communicating information through a network In the information processor used in the examination system by which two or more persons examine a single issue For example, in case the 1st information is appended from the 1st examination person to the 2nd examination person and examination of a predetermined issue is requested It is the information which was not included in the 1st information, and information required for examination of the issue can be sent later, examination can be started a little early with a part of material, and examination with the sufficient efficiency by the network can be performed.

[Translation done.]

#### \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

## DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] Drawing showing the typical composition of the intellectual-property managerial system of the gestalt of this operation

[Drawing 2] Drawing showing the distribution channel of the information in an intellectual-property managerial system

[Drawing 3] The example of the organization chart in the \*\*\*\* right-ized section 105, the development right-ized support section 103, and the research and development division 102

[Drawing 4] Drawing explaining the method of the database management in the gestalt of this operation

[Drawing 5] Drawing for explaining the concept of an action case

[Drawing 6] Drawing showing the application case which draws up application documents

[Drawing 7] Drawing showing the reason response case for refusal for answering the reason for refusal

[Drawing 8] Drawing showing the rejection response case for answering to a rejection

[Drawing 9] Drawing explaining the example of the examination path of action in organization composition as shown in drawing 3

[Drawing 10] Drawing explaining the example of the path of recognition of an action examination result

[Drawing 11] The table showing examination of action shown in drawing 9 and drawing 10, and the path pattern of recognition

[Drawing 12] The pattern selection table for assembling a workflow freely to (4) (3) \*\*\*\* right-ized person-in-charge exception classified by section using the pattern table of drawing 11

[Drawing 13] The flow chart which shows a flow setup of an action case

[Drawing 14] Drawing explaining the following function of documents in which it should go into an action case

[Drawing 15] The flow chart which shows documents following processing

[Drawing 16] Drawing explaining the copy function of an action case

[Drawing 17] Drawing which expresses the operation of a copy case more concretely

[Drawing 18] Drawing showing an example of the communication-of-information method within a development section

[Drawing 19] The flow chart which shows the bill processing from the \*\*\*\* related office in this system

[Drawing 20] Drawing showing the 2nd typical composition of the intellectual-property managerial system of the gestalt of operation

[Drawing 21] Drawing showing the example of OA equipment currently installed in the \*\*\*\* right-ized support section 106

[Drawing 22] Drawing showing the covering page of facsimile

[Drawing 23] The flow chart showing the flow of processing of FAX reception

[Drawing 24] The flow chart showing the flow of processing of FAX reception

[Drawing 25] Drawing explaining the composition of the display screen for a user checking the

processing situation of an action case

[Drawing 26] Drawing explaining the composition of the display screen for a user checking the processing situation of an action case

[Drawing 27] The flow chart which shows the method of an input to a system in case the documents sent by facsimile are sent by the paper medium

[Drawing 28] The flow chart which shows the method of an input to a system in case the documents sent by facsimile are sent by the paper medium

[Drawing 29] Drawing of the display screen of the client PC for explaining the operation of the quotation bibliographic database built by the server 118

[Drawing 30] Drawing of the display screen of the client PC for explaining the operation of the quotation bibliographic database built by the server 118

[Drawing 31] Drawing of the display screen of the client PC for explaining the operation of the quotation bibliographic database built by the server 118

[Drawing 32] Drawing of the display screen of the client PC for explaining the operation of the quotation bibliographic database built by the server 118

[Drawing 33] Drawing of the display screen of the client PC for explaining the operation of the quotation bibliographic database built by the server 118

[Drawing 34] Drawing for explaining the definition of DB management item for building a database

[Drawing 35] Drawing for explaining the definition of DB management item for building a database

[Drawing 36] Drawing for explaining the definition of DB management item for building a database [Description of Notations]

114 Japan Patent Office

115 Foreign Patent Office

104 \*\*\*\* Information Management Section

[Translation done.]

#### (19)日本国特許庁(JP)

# (12) 公開特許公報(A)

(11)特許出願公開番号 特開2001-325389 (P2001-325389A)

(43)公開日 平成13年11月22日(2001.11.22)

(51) Int.Cl.7		識別記号	FΙ	テーマコード( <b>参考</b> )
G06F	17/60	1 4 2	G06F 17/60	142 5B049
		162		162C
		5 1 4		5 1 4
	19/00	300	19/00	300N

#### 審査請求 未請求 請求項の数6 OL (全 40 頁)

	<del> </del>	<del></del>
(21)出願番号	特顧2000-143351(P2000-143351)	(71)出願人 000001007
		キヤノン株式会社
(22)出願日	平成12年5月16日(2000.5.16)	東京都大田区下丸子3丁目30番2号
		(72)発明者 内尾 裕一
		東京都大田区下丸子3丁目30番2号キヤノ
		ン株式会社内
		(72)発明者 本橋 理
		東京都大田区下丸子3丁目30番2号キヤノ
		ン株式会社内
		(74)代理人 100090538
		弁理士 西山 惠三 (外1名)
		Fターム(参考) 5B049 BB00 BB46 CC21 CC31 CC36
		DD02 EE05 EE07 FF02 FF03
		FF04 CC04 CC07


## (54) 【発明の名称】 情報処理装置及び方法並びにプログラム記憶媒体

## (57) 【要約】

【課題】 本発明は、知財情報を効率よく管理することができる情報処理装置、情報処理方法およびプログラム記憶媒体を提供することを目的とする。

【解決手段】 ネットワークを介して情報を通信することにより、単一の案件を複数人が検討する検討システムにおいて用いられる情報処理装置であって、1の検討者から第2の検討者に対して第1の情報を添付して所定の案件の検討を依頼する第1の通信手段と、前記第1の通信手段による検討の依頼時に前記第1の情報に含まれていなかった第2の情報を前記所定の案件の検討のために前記第2の検討者に対して送付する第2の通信手段とを有することを特徴とする。

#### 春類あと遠い機能説明図



1

#### 【特許請求の範囲】

【請求項1】 ネットワークを介して情報を通信することにより、単一の案件を複数人が検討する検討システムにおいて用いられる情報処理装置であって、

第1の検討者から第2の検討者に対して第1の情報を添付して所定の案件の検討を依頼する第1の通信手段と、前記第1の通信手段による検討の依頼時に前記第1の情報に含まれていなかった第2の情報を前記所定の案件の検討のために前記第2の検討者に対して送付する第2の通信手段とを有することを特徴とする情報処理装置。

【請求項2】 更に、前記第2の検討者が既に第3の検討者に検討を依頼している場合に、該第3の検討者に対して前記第2の情報を送付する第3の通信手段とを有することを特徴とする請求項1に記載の情報処理装置。

【請求項3】 更に、前記第3の通信手段により、前記第2の情報が前記第3の検討者に送付された場合に、前記第2の検討者が前記第2の情報にアクセス可能とするための第3の情報を送付する第4の通信手段を有することを特徴とする請求項2に記載の情報処理装置。

【請求項4】 更に、前記検討依頼の所持者を検出する 20 検出手段を有することを特徴とする請求項1に記載の情 報処理装置。

【請求項5】 ネットワークを介して情報を通信することにより、単一の案件を複数人が検討する検討システムにおいて用いられる情報処理方法であって、

第1の検討者から第2の検討者に対して第1の情報を添付して所定の案件の検討を依頼する第1の通信工程と、前記第1の通信工程における検討の依頼時に前記第1の情報に含まれていなかった第2の情報を前記所定の案件の検討のために前記第2の検討者に対して送付する第2 30の通信工程とを有することを特徴とする情報処理方法。

【請求項6】 ネットワークを介して情報を通信することにより、単一の案件を複数人が検討する検討システムにおいて用いられる情報処理方法を実行するためのプログラムを記憶したプログラム記憶媒体であって、

第1の検討者から第2の検討者に対して第1の情報を添付して所定の案件の検討を依頼する第1の通信工程を実行するためのコードと、

前記第1の通信工程における検討の依頼時に前記第1の情報に含まれていなかった第2の情報を前記所定の案件 40の検討のために前記第2の検討者に対して送付する第2の通信工程を実行ためのコードとを有することを特徴とするプログラム記憶媒体。

#### 【発明の詳細な説明】

[0001]

【発明の属する技術分野】本発明は、情報処理装置、情報処理方法、およびプログラム記憶媒体、詳しくは、文書管理機能を有する情報処理装置、情報処理方法およびプログラム記憶媒体に関するものである。

[0002]

2

【従来の技術】近年、特許関連の文書の電子化は急速に進んできており、CD-ROMを媒体とした特許庁発行の公開、登録公報の電子化を始め、ネットワーク接続による特許庁への出願、特許庁からの発送書類の受け取り等、いわゆるIT技術を利用したデータのやり取りが一般的になってきた。

【0003】また、最近ではインターネットを利用した 検索システムや各種情報の公開などが盛んに行われてい る。

【0004】一方、各企業では以前より、自社で出願した特許・実用新案などの知的財産を管理するためのコンピュータシステムが構築されてきたが、そのほとんどのシステムは、主に、たとえば特許等の出願日や出願番号といったような、書誌情報のデータをデータベース等で管理し、それを検索・表示しながら必要な期限管理等を行うものであった。

[0005]

【発明が解決しようとする課題】しかしながら、前述した文書の電子化、ネットワーク環境の進歩により、文書形式で構成される、いわゆる特許出願の文書部分についても、電子的に管理し、通常の期限管理のみでなく、発明者からの提案管理、また特許事務所とネットワークを結んで、出願書類や特許庁とのやりとりで使用する書類そのものも管理する必要性が生じてきている。

【0006】特に、ある書類を作成するためにネットワークを用いて、その案件を複数人が順次検討する場合に、その検討の材料がすべて揃わないと次の検討者が検討できないとすると、書類がすべて揃うまで次の検討者に検討を回せず、トータルでの検討時間が増大するという問題が考えられる。

【0007】そこで本願は、かかる必要性に鑑み、ネットワークにおける効率的な検討システムを構築できる情報処理装置、情報処理方法およびプログラム記憶媒体を提供することを目的とする。

[0008]

【課題を解決するための手段】上記課題を解決するため、本願の情報処理装置は、ネットワークを介して情報を通信することにより、単一の案件を複数人が検討する検討システムにおいて用いられる情報処理装置であって、第1の検討者から第2の検討者に対して第1の情報を添付して所定の案件の検討を依頼する第1の通信手段と、前記第1の通信手段による検討の依頼時に前記第1の情報に含まれていなかった第2の情報を前記所定の案件の検討のために前記第2の検討者に対して送付する第2の通信手段とを有することを特徴とする。

【0009】本願の他の発明の態様は、以下の詳細な説明及び特許請求の範囲の記載から明らかになるであろっ

[0010]

【発明の実施の形態】(第1の実施の形態)以下に添付

の図面を参照して、本発明の第1の実施の形態について 説明する。

【0011】(知的財産管理システム全体構成)図1は本実施の形態の知的財産管理システムの代表的な構成を示す図である。

【0012】図1において、107は研究・開発・製造・販売などの経済活動を営む企業の本社であり、特許などの知的財産を管理する部門を含む。

【0013】104は知的財産管理部門であり、文書サーバ116、管理サーバ117、サーバ118、119、120などを保有する。

【0014】文書サーバ116は、電子的に作成された文書そのものや特許庁とのやりとりで生じる一連の文書からなる包袋などを管理するための文書DB(データベース)を含む。管理サーバ11は、出願番号、特許番号、出願日、登録日その他の書誌的情報や特許庁のオフィスアクションの期限、管理するDBを含む。サーバ118は、日本特許や米国特許など特定の公報を記憶する汎用DBを含む。サーバ119は、後述のワークフローなどを管理するアプリケーションシステムやその他のデュを管理するアプリケーションシステムやその他のデュを修理するアプリケーションシステムやその他のデュータベース(例えば引用文献データベース)を構成する。サーバ120は、サーバ116~119を統合管理し、知財情報管理システム全体を制御する。以下本実施の形態で「システム」というときは、サーバ120によって管理されるシステムを指すものとする。

【0015】これらの構成要素は全て基幹のネットワーク127に接続されている。ただし、この部門の上の構成要素は同一のコンピュータマシンで実現されていてもかまわない。

【0016】文書サーバ116に格納されうる文書とし 30 では、通常のテキスト文書や通常イメージ情報として格納される図面など、さらにテキストとイメージが混在したミックスモード文書、ワープロ固有のフォーマットの文書などがある。電子的に作成された、特許庁とのやり取りで使う書類や社内書類は、サーバ119のアプリケーションシステムにより文書サーバ116のもつ文書データベースに格納される。通常、この文書データベースには、その文書を特定するための番号が付与されており、管理サーバ117にもつ書誌的項目の管理データベースとリンクされている。 40

【0017】105は知的財産(知財)権利化部門であり、特許庁と直接・間接に文書のやり取りすることで知的財産の権利を取得する部門である。

【0018】106は知財権利化支援部門であり、例えば、特許出願原稿の電子化や期限管理など権利化の支援を行う部門である。

【0019】101は研究・開発を行う部門であり、実際の研究・開発部門102と開発における知的財産の権利化を支援する開発権利化支援部門103を含む。

【0020】知財権利化部門105、知財権利化支援部 50

4

門106は通常業務として、知財関係の情報入力、文書作成などの作業を行うことを前提としており、原則としてクライアントPCの専用アプリケーション画面で作業する事ができる。一方、研究・開発部門102は、通常は研究開発を業務としており、知財関係の作業は付随的に発生するものであることから、社内知財情報管理部門107のサーバ116~119を社内ネットワークを通じてアクセスし、Web画面として表示させ、処理することができる。Web画面を開くべきタイミングは社内電子メールを対象者に送ることによりその対象者に知らせることができる。

【0021】108は、日本国内に存在する複数の国内 関係会社、109は日本国外に存在する複数の海外関係 会社である。これらは、専用回線(送信側、受信側およ びデータの伝送経路が特定されている電子メール、ファ クシミリ通信など)によりセキュリティが保証された状態での通信が可能な状態となっている。

【0022】110は、本社107、国内関係会社108、海外関係会社109から構成される企業グループである。

【0023】一方111は企業グループ110と共同研究・開発を行う複数の外部会社である。両者は相互の契約に基づき共同研究・開発の成果物を管理し、特許権利化などの作業を行う。上記システムに対しては、インターネットによりデータの送受信が可能である。

【0024】112は、日本国内に存在する複数の知財 関連事務所であり、113は日本国外に存在する複数の 知財関連事務所である。これらは、上記システムに対し て、上述のような専用線あるいはインターネットによ り、データの送受信が可能である。

【0025】114は日本国特許庁であり、上記システムとの間ではオンライン端末で結ばれている。

【0026】115は、複数の外国の特許庁であり、グループ会社110との間では、海外事務所113を介して主として書面により手続きを行う。

【0027】以上の各部門は、それぞれ情報の入出力等に用いられる複数の端末PCなどを有する。各部門の構成員はそれぞれIDとパスワードを有し、上述のシステムに対して直接・間接にアクセスすることができる。

【0028】各部門にはそれぞれネットワーク接続されたクライアントコンピュータが複数存在し、サーバ116~120の持つデータを表示させたり、サーバ116~120の持つデータを特定のフォーマットでプリンタにより印刷したりすることができる。また、必要に応じて、イメージ入力のためのスキャナを有する。

【0029】情報の流出の度合いは複数段階に管理される。例えば、123と124の間すなわち知財情報管理部門内は、高度な情報がすべて集中し、自由に流通することから、ここから出て行く情報の量的(情報の量)、質的(情報の種類)双方について、厳しい規制をかける

必要がある。

【0030】また、122から125の間すなわち本社内では、情報の流通範囲が広くなるので、部門外閲覧禁止など情報の流れに制限をつけ、特定の部門に高度な情報が大量に流通しないようにする。121と126の間、すなわちグループ会社内は、情報の流通範囲がより広くなるので、各部門に流出する情報の量および質を更に規制する。

5

【0031】一方セキュリティチェック度合いとしては、および、流通する情報の量と質、および、情報流出のリスクの大きさに応じて、セキュリティチェックの度合いを決定する。

【0032】(知的財産管理システムでの情報の流れ) 図2は、上記知的財産管理システムにおける情報の流通 経路を示す図である。

【0033】日本国特許庁114との間では、国内事務所112または知財権利化支援部門が書面やデータのやり取りを行う。外国特許庁115との間では、海外事務所113が書面やデータのやり取りを行う。海外事務所113は国内事務所112または知財権利化支援部門106を介して書面やデータのやり取りを行う。国内に入った電子化情報は必要に応じて知財情報管理部門104のシステムに登録される。知財情報管理部門104は必要に応じて、知財権利化支援部門106、知財権利化部門105、開発権利化支援部門103、研究・開発部門102に対して情報を供給したり、情報のシステム登録を行う。外部会社111、国内関係会社108、海外関係会社109は、本社107の各部門との間で、必要に応じて書類、データのやり取りを行う。

【0034】図3は、知財権利化部門105、開発権利 30 化支援部門103、研究・開発部門102における組織 図の例である。

【0035】例えば、知財権利化部門105は、担当者A・Bの上司として課長A、担当者Cの上司として課長B、担当者D・Eの上司として課長C、課長A・Bの上司として部長A、課長Cの上司として部長B、部長A・Bの上司として所長Aという組織を構成している。

【0036】また、開発権利化支援部門103は、担当者F・Gの上司として課長D、担当者Hの上司として課長E、担当者I・Jの上司として課長F、課長D・Eの 40上司として部長C、課長Fの上司として部長D、部長C・Dの上司として所長Bという組織を構成している。

【0037】また、研究・開発部門102は、発明者A・Bの上司として課長G、発明者Cの上司として課長H、発明者D・Eの上司として課長I、課長Gの上司として部長E、課長Hの上司として部長D、部長C・Dの上司として所長Bという組織を表している。このシステムにおいては、組織の構成とともに、その組織を構成する人物を対応付けて人名コード(従業者のID番号)をテーブル化してサーバ119に記憶させておく。

6

【0038】このような組織情報をテーブルとしてシステムに記憶させておくことにより、例えば、上司の承認のために自動的に書類(メール)の送り先を自動設定することができたり、順序の違う書類転送に対してエラーチェックをかけることができるなど、システムの機能をより使用者にとって使いやすくすることができる。反面、このような組織情報は、定期的に更新し、正確な情報を保たなければならず、そのメンテナンスは大きな負荷となりうる。このような組織情報をシステムに記憶さなりうる。このような組織情報をシステムに記憶さなりうるが必ずであることもできる。変更の少ない部門やメンテナンスの負荷を考慮してもシステムを使いやすくなる部門については、システムに記憶させておくことが好ましい。

【0039】図4は、本実施の形態におけるデータベース管理の方法を説明する図である。

【0040】図4において、401は管理サーバ117に含まれる管理DBを表す。ここには各種管理項目402が案件単位で記憶される。そして、管理項目はクライアントPC上の画面403から設定することができる。 【0041】404から406は、各案件についての書

【0041】404から406は、各案件についての書類作成の単位となるユニットを表す。このユニットを本実施の形態では「アクション」と呼び、この書類作成のために「アクションケース」というシステム上の仮想のファイルケースを定義する。

【0042】例えば、管理番号1234567の出願という「アクション」404に対しては既に社内の発明提案のための書類である提案書、願書、明細書、図面、要約書等の文書407が作成されており、クライアントPC上の画面408において、出願日、発明者などの出願に付随する管理データが確定されている。前者の文書407については、文書サーバ116に形成される後述の電子包袋412に登録され、後者の管理データについては、管理項目402としてDB401に登録される。このアクションケースをユーザが表示させたい場合には、管理項目については管理DB401をアクセスすることにより、また文書407については、電子包袋412とリンクを張ることにより、実現することができる。

【0043】管理番号1234578の出願という「アクション」405に対しては、出願書類が現在まだ作成されていない状態なので、提案書409のみがシステムに登録されている。

【0044】また、特願平10-101号の拒絶理由通知という「アクション」406に対しては手続補正書411が登録されている。

【0045】その他アクションとしては、拒絶査定、補 正却下、異議申し立て、審査請求、手続補正指令応答等 の法上の手続に対する対処が考えられる。

【0046】また、文書サーバ116内に形成される電子包袋412の内容としては、案件ごとの書類413の 60 他に第三者の特許情報などの閲覧書類414や、その案

件について特許庁による審査の引用文献(引例) 415 などが考えられるが、引例415は上述のように、別のサーバ119にDBを構成してもよく、HTMLのリンクによって案件のアクセスから容易に情報が引き出せるようにすることができる。

【0047】DB401から電子包袋412へはリンクが張られているとともに、電子包袋412に登録された文書から必要なデータを抽出して、DB401登録することもできる。また、DB401及び電子包袋412からサーバ118が形成する特許検索システム416へは リンクが張られており、電子包袋412の書類から特許検索システム416内の案件417に簡単にアクセスできるようになっている。

【0048】特許検索システム416の情報は、たとえば、CD-ROMなどの媒体418を介してDB更新できるようになっている。

【0049】 (アクションケース) 図5は、上述のアクションケースの概念を説明するための図である。

【0050】図5において、501はあるアクションケ ースを表しており、その内容である502、503は上 20 述の図4の出願アクション404、書類407にそれぞ れ対応する。また、504、505、506、507は それぞれ405、409、406、411に対応する。 【0051】上述のように、このアクションケースは、 508に示されるようなシステム上の仮想のファイルで あり、その中には、記載項目として出願、拒絶理由など のアクションの単位を示す種類、アクションケースの発 生日、終了日、アクションケースの名称(一連のアクシ ョンに複数の文書が入る場合にはこのケースを表す代表 のもの)、法定期限日、アクションケースの希望返却日 30 (次にケースを処理する人に対する処理の期限日) 、次 の人へのコメント、関連する案件番号、アクションケー スの回覧履歴情報(どのような人を経由して自分の所へ ケースがきたかを示す)等が記載された表紙512が挿 入される。また、その処理に必要な書類509や、画面 入力(表示)されるDB項目510が挿入され、更に、 処理結果511、例えば、補正書案を作成した場合に は、その補正書案が処理者によって挿入される。処理結 果511は、アクションケースを受けた人が、自分の処 理内容をシステムに対してアップロードし、電子包袋4 12に登録されることで、挿入が完了する。

【0052】なお、アクションケースの概念は変形が可能であり、例えば、もっと短い単位、例えば、提案書作成、原稿チェックなどに区切ることも可能である。また、複数の特許庁提出書類をまとめて一つのアクションケースとして移動・処理させることもできる。

【0053】アクションケースの例を図6~図8に示す。

【0054】図6は出願書類を作成する出願ケース、図7は拒絶理由に応答するための拒絶理由応答ケース、図50

8

8は拒絶査定に対して応答するための拒絶査定応答ケースである。

【0055】それぞれの工程(アクション)に対して、アクションケース発生のタイミング、発生時の処理、消滅のタイミング、消滅時の処理、その処理に関連する書類などが定義されている。審査請求など、他の工程に関しても同様に定義をすることができる。

【0056】図9は、図3に示されるような組織構成における、アクションの検討経路の例を説明する図である。例えば、(1)は検討依頼形態の例1であり、担当者Aから担当者F、部長E、課長Gを経由して発明者Aへアクションケースが渡るという経路を示している。例えば拒絶理由の検討などがこのパターンに該当する。

(2) は検討依頼形態の例2であり、担当者Aから自動的にダイレクトに発明者Aにアクションケースが渡る例である。例えば出願原稿のチェックなどがこのパターンに該当する。(3) は検討依頼形態の例3であり、担当者Aから順に任意の相手先を指定して、アクションケースを検討者まで回していくケースである。

【0057】(1)、(2)はシステムがワークフローを管理して自動的にケースが回っていくのに対して、

(3) はケースを受けた人が社内ルールに従い自分の判断でケースを目的の人物に回していくものである。処理の自動化という点からは前者が優れる反面、前者は組織内における処理の柔軟性にかけるという欠点がある。本実施の形態では、双方をサポートするシステムとすることにより、アクションの種類、部門毎の状況などに応じて、柔軟にシステム運用ができるようにしている。

【0058】同様に、図10はアクション検討結果の承認の経路の例を説明する図である。例えば、(1)は承認形態の例1であり、発明者Aから課長G、部長E、所長C、担当者F、課長D、部長C、所長B、担当者A、課長A、部長Aを経由して所長Aへアクションケースが渡るという経路を示している。例えば発明提案書の承認・受け入れなどがこのパターンに該当する。(2)は承認形態の例2であり、発明者Aから自動的にダイレクトに担当者Aにアクションケースが渡る例である。例えば出願原稿のチェックや緊急時の回答などがこのパターンに該当する。(3)は検討依頼形態の例3であり、発明者Aから順に任意の相手先を指定して、アクションケースを最終承認者まで回していくケースである。

【0059】承認の場合についても、上述の検討依頼と同様の理由で、(3)の形態を設けている。

【0060】図11は、図9、図10に示されるアクションの検討および承認の経路パターンを示すテーブルを表している。(1)は検討経路パターンであり、A001からA005までのパターンを例として記載している。例えば、A001は、アクションケースをシステムが自動発生させ、知財権利化部門の課長から担当者、開発権利化支援部門の課長から担当者、研究・開発部門の

課長から担当者へアクションケースが回るパターンである。また、(2)は検討結果承認経路パターンであり、B001からB005までのパターンを例として記載している。例えば、B002は研究・開発部門の担当者から知財権利化部門の担当者にアクションケースが回ったあとシステムが検討結果を自動登録する。

【0061】このような経路パターンをサーバ119に 複数予め登録しておくことにより、ワークフロー管理を 円滑に制御することができる。また、経路パターンをテーブル化しておくことにより、テーブルの書き換えだけ で、アクションケースのワークフローを容易に変更可能 となる。また、このテーブルにA000、B000とし て、相手先指定の任意経路をというパターンを定義する こともできる。

【0062】図12は、図11のパターンテーブルを用いて部門別(3)、知財権利化担当者別(4)にワークフローを自由に組み立てるためのパターン選択テーブルを示す。例えば、開発部門Aは、アクション検討経路パターンとしてはA001を、検討承認経路パターンとしてはB001を選択する。あるいは、担当者Aはアクション検討経路パターンとしてはA001を、検討承認経路パターンとしてはB005を選択する。このようなパターンとしてはB005を選択する。このようなパターン選択テーブルを持つことにより、部門ごと担当者ごとのカスタマイズが可能になる。また、アクションケースの種類ごとにパターンテーブルを持ったり、選択テーブルを持ったりしてもよい。

【0063】図13は、アクションケースのフロー設定を示すフローチャートである。

【0064】まず、S1300で図3に示されるような 組織情報がシステムに登録されているかどうかを判断 し、S1301で、図12(3)の部門別経路パターン テーブルを適用するように設定されているか判断する。 適用される場合には、S1302で、部門別経路パター ンテーブルを検索し、S1303で、当該アクションケ ースに対して検討依頼・承認経路をシステムが自動設定 し、S1304で、実際のアクションケース処理を行 う。一方、部門別経路パターンテーブルを適用しない場 合には、S1305で、知財権利化担当者別経路パター ンテーブルを適用するよう設定されているかどうかを判 断し、適用される場合には、S1306で、担当者別経 40 路パターンテーブルを検索し、S1307で、当該アク ションケースに対して検討依頼・承認経路をシステムが 自動設定し、S1304で、実際のアクションケース処 理を行う。一方、担当者別経路パターンテーブルを適用 しない場合には、S1308で、当該アクションケース に対して検討依頼・承認経路をシステムが予め定めたデ フォルトモード自動設定する。

【0065】また、組織情報がない場合には、S130 9で相手先をマニュアルで入力するモードを設定する。 【0066】以上のように、組織情報と経路テーブル、 10

選択テーブルの組み合わせにより、アクションケースの 移動を効率よく管理することができる。

【0067】(アクションケースの後追い機能)図14 はアクションケースに入るべき書類の後追い機能につい て説明する図である。

【0068】この例では、システム1401が自動発生させたアクションケースを担当者A(1403)、担当者F(1404)、部長E(1405)、課長G(1406)、発明者A(1407)の順に検討依頼が回っていくとする。この場合に、システム1401がアクションケースを発生した時点で、拒絶理由通知に記載された引用文献のうち、一部が入手に時間がかかるときに、アクションケースをこの引用文献入手までシステムに保持していると、実質的な検討のための時間が無駄に失われ、効率が悪くなる。

【0069】一方、実際に拒絶理由通知に対する応答を考える検討者に渡るまでは、引用文献の一部はなくても検討者を決める処理などについては適切な判断を下せる場合も多い。

【0070】そこで、本実施の形態においては、このような場合に、アクションケースに一部未入手の書類がある状態で、回覧を開始し、後から必要な書類が入手された時点で、システム1401がアクションケースの保持者のケースに例えば資料部門など他の部門1402で入手した文献を後追いで挿入し、その文献が挿入されたことを知らせるためのメールをそのアクションケースを既に回覧した人に対して送るようにする。

【0071】なお、後追いの書類は、上述のようにもとの検討依頼を発生した部門(人)ではない部門(人)から発送してもよいし、同じ部門(人)でもよい。

【0072】図15は、書類後追い処理を示すフローチャートである。

【0073】まず、S1501で、システムが書類を受 理すると、S1502で、その書類に関連書類のフラッ グ (関連書類を識別するための識別コード) がついてい るかどうかを判断し、関連書類のフラッグがついている 場合にはS1503で、関連書類のアクションケースを 検出する。そして、S1504で、アクションケースが 既に発送済みで、システムの手を離れているかどうかを 判断し、まだの場合にはS1505で、関連書類のアク ションケースに新たに受理した書類を追加して発送し、 S1507のアクションケースの処理に移る。一方、既 にアクションケースを発送済みの場合には、現在関連書 類のアクションケースを保持している人のアクションケ ースに新たな書類を追加するとともに、そのアクション ケースを保持している人以前の人、即ち、既に回覧履歴 に載っている人に対して書類追加の旨を知らせるメール を発送する。このメールを受け取った人は、新たに追加 された書類の閲覧をすることができる。メールにはその 50 追加の書類そのものを添付してもよいし、追加書類のD

B上のアドレスを記載することにより、アクセス可能にしてもよい。この場合、既にアクションケースを回してしまった人はそのアクションケースに対して補正書案などの書類の登録をすることはできないが、仮に重要な処理をそのアクションケースに対して行う必要がある場合には、そのアクションケースを戻してもらったり、検討結果が返ってくるときに、必要な書類の登録を行うことができる。

【0074】また、関連書類のフラッグがない場合には、S1509で、新規アクションケースの発生など、通常の処理を行うことになる。

【0075】以上のような、書類後追いの機能により、限られた検討時間を有効に利用して、効率よく検討を行うことができる。以上のような書類の後追い機能は、上述のような特許のアクション(拒絶理由通知など)の検討に限らず、ネットワーク上で何らかの検討(転送・承認を含む)を複数人で行ういかなる検討にも適用でき、ネットワーク上での検討の効率化を図ることができる。【0076】(アクションケースのコピー機能)図16は、アクションケースのコピー機能を説明する図である。

【0077】上述のアクションケースの使用方法としては、図16の①のように、アクションケース1601を受けた人がそのまま1602として次の人に1603として回すのが典型的である。これに対して、②に示すように、アクションケース1604を受けた人が、1605として自分が処理する一方で、次の人にも並行して検討してもらいたい場合もありうる。このような場合には、本実施の形態のシステムでは、アクションケース1605のコピーケース1607を作成し、自分が1605を所有しつつ、コピーケース1607を別の人の検討に出すことができる。ただし、この場合の規則として、コピーケースを作成した人が、必ず、コピーされ、検討の結果戻ってきたケース1608を統合することとする。即ち、依頼されたアクションケースを分割してもとの人に返すのは原則として禁止する。

【0078】コピーケースの使用形態としては、上述のものに限らず、依頼元からきたケース1609に対して、1610の所有者が、コピーし1611、1612に分割して並行した検討に回すことが考えられるが、戻 40ってきた1613、1614をそのままばらばらで、依頼元に返送するのではなく、コピーを作成した人が責任をもってまとめて、依頼者に返送することとする。

【0079】図17は、コピーケースの使用方法をより 具体的にあらわす図である。

12

703の検討依頼書を電子メールの添付書類として、開発部門に送る一方、コピーケースを作成し、コピーケース1705の検討依頼書を電子メールの添付書類として、別の開発部門に送る。開発部門では、それぞれ1704,1706という検討結果を編集し、それぞれ17081707として開発権利化支援部門に返送する。ここで両者が合体、統合され、依頼元である知財権利化部門に返送される。ここでは、他部門に検討に回されていた検討結果1710が1711に合体、統合され、必要な書類を作成・追加した後、知財権利化支援部門でのタイプ依頼処理などに回される。

【0081】以上のような、アクションケースのコピー機能を用いることにより、短期間で複数の人が効率よく依頼事項を検討することができる。

【0082】図18は、開発部門内での情報伝達方法の一例(検討者が順次次の検討者を指定する場合)を示す図である。

【0083】まず、知財部門から検討依頼書1804がメールでくると、代表発明者や担当者1801は、自分のPC端末上で必要な検討項目、次の検討者を書類1804に記入の上、その書類上にマクロとして埋め込まれた送信ボタンにより送信を指示する。この送信ボタンにより、システムに書類1804が登録され、文書サーバ116に記憶されるとともに、次の検討者(承認者)にメール1805が送信される。そして次の上司1802の同様に書類1806上に項目を記入し、システムに登録するとともに、上司1803にメール1807を送信する。

【0084】以上のワークフローは、システムにより管理されており、検討者は次の検討者(承認者)を入力し、送信ボタンを押すだけで、システム登録、メール送信が行われるようにする。

【0085】図19は、本システムにおける知財関連事 務所からの請求書処理を示すフローチャートである。S 1901で、特許庁以外の機関(例えば、特許事務所、 翻訳事務所など)から書類(例えば、拒絶理由通知、意 見書・補正書案、出願原稿、外国出願用原稿など)を受 理すると、S1902で、サービス依頼時のID番号が 添付されているかどうかを確認する。ID番号がついて いれば、S1906に移り、ついていない場合には、S 1903でDBに書類を入力し、S1904でID番号 を発行し、S1905でID番号を知財関連事務所に送 付する。S1906では、請求書を受理し、ID番号と 書類の項目(種類など)を確認する。例えば、出願原稿 の作成依頼という項目でのID番号に対して、請求書の 内容が拒絶理由通知応答という項目での請求であれば、 エラーとなる。また、例えば、各サービスの種類に対し て、予めシステムに設定した一定額以上の請求があった 場合には、社内のクライアントPC上でその旨表示さ

AXなど)により確認できない場合にマニュアルでエラー通知を行うようにすることもできる。

【0086】S1907で、項目とID番号が一致していれば、S1910で支払を行い、一致して異なようであれば、S1908でエラー表示を行うとともに、知財関連事務所にその旨通知する。そして、S1909で、請求書の再送があるかどうかを確認する。

【0087】以上のように、依頼したサービスに対して 【Dをつけ、サービスの納入時に内容と照合・確認する ことにより、システム上でサービス内容と請求書をリン クさせやすくなる。

【0088】 (第2の実施の形態)

(知的財産管理システム全体構成)図20は本願の第2の実施の形態の知的財産管理システムの代表的な構成を示す図である。

【0089】基本的な構成・機能は、図1と同様であるが、図1のシステムは国内外を問わず、ネットワークによるオンライン化を前提としているが、本実施の形態は以下の点で、第1の実施の形態と異なる。

【0090】128、129は公衆回線であり、この回 20線を通じてファクシミリデータを通信することができる。知財権利化支援部門106、海外事務所113、国内事務所112その他は、少なくとも1台ファクシミリ装置を備えている。システム全体の理想形としては、上述の第1の実施の形態にような完全なオンラインであるが、過渡的には電子メール、Webが使用できない環境が生じうる。

【0091】そこで本実施例では、補助的な通信手段として、紙媒体やファクシミリ通信を使用するものである。

【0092】図21は、知財権利化支援部門106に設置されているOA機器の例を示す図である。

【0093】基幹ネットワーク127に対して、クライアント2101、2102、2104、高速スキャナ・プリンタ2103、高速スキャナ・プリンタ・FAX複合機2105が接続されている。また、PC2102はスキャナ・プリンタ2103のサーバの機能を有し、PC2104は、複合機2105のサーバの機能を有する。2109アナログまたはデジタルの公衆回線であり、複合機2105が、ファクシミリデータの送受信の40ために用いる。2106、2107、2108はスタンドアローンのファクシミリ装置であり、それぞれ公衆回線2110、2111、2112を介してファクシミリ通信を行う。

【0094】知財権利化支援部門106へは海外事務所 113、国内事務所112など、外部機関からファクシ ミリによる情報の受信が行われる。

【0095】 このとき、緊急の場合(回答期限が迫って 方の期限を設定する)する。そして、S2306で、サいるものなど)には、送付元は複数の回線の中で緊急専 ーバ119が知財権利化部門担当者へアクションケース 用の回線2109の番号に対してFAX送信を行い、フ 50 を送信するとともに、知財権利化支援部門担当者および

14

ァクシミリのカバーページとして、図22に示されるようなシートを用いる。

【0096】図22において、カバーシート2201には、ケース番号とその〇CR用バーコード2206、法定期限日とその〇CR用バーコード2207、送付書類名とその〇CR用バーコード2208、引用例番号とその〇CR用バーコード2209、その他の書誌情報とその〇CR用バーコード2210が記載され、送信側で読み込まれる。2202は例えばオフィスアクション(拒絶理由通知)であり、2203は1件目の引用文献、2204は2件目の引用文献、2205は3件目の引用文献である。

【0097】このように、フロントページに〇CR用の コードとともに書誌情報を記載したものを受信すること により、複合機2105を介して取り込まれたファクシ ミリデータから、サーバ2104が処理情報を認識し、 システムに対して書誌情報の電子データを提供すること ができる。また、オフィスアクション2202、引用文 献2203~2205もファクスミリデータ(電子デー タ)としてシステムに取り込むことができる。フロント ページから抽出された書誌情報は管理サーバ117に登 録され、サーバ119により、その法定期限や事務所へ の指定回答期限に応じて、上述のアクションケースが自 動発生する。一方、2202~2205のファクシミリ データは、文書サーバ116に登録される。ファクシミ リデータは、G3方式でもG4方式でもよく、また、J BIGなどの圧縮データであってもよい。特に、本実施 例のシステムのように、ファクシミリデータを直接デー タベースに取り込むようにできるシステムにおいては、 JBIGのような階層符号化方式のデータとすること は、データベース入力後、ユーザが使用する際に有効で

【0098】以上の処理の流れを表すフローチャートを 図23、図24に示す。

【0099】S2301でFAXの受信を待ち、受信した場合にS2302で、FAXサーバ2104が上述のカバーレター上の情報OCRにより認識する。本実施の形態においては、ファクシミリデータ中には、サーバ117が管理する案件を特定するための項目情報(ケース番号)、今回のアクションの期限情報、送付される書類名情報、添付される特許庁発送の引用文献情報などが含まれる。そして、S2302で管理情報がサーバ117に登録され、2202~2205の文書データが文書サーバ116に登録されるとともに、サーバ119がケース番号を特定し、アクションケースを自動発生される。S2305で期限日を設定し(法定期限の管理でよい場合は法定期限、事務所の指定期限がある場合は双方の期限を設定する)する。そして、S2306で、サーバ119が知財権利化部門担当者へアクションケースを详信するとともに、知財権利化支援知問出来をより、

知財権利化部門担当者上司に緊急のアクションケースが 入ったことを知らせるメールを送信する。

【0100】次に、S2307で、所定時間(例えば3時間)経過後アクションケースが知財権利化部門担当者によりアクセスされたか(開封されたか)どうかをシステムがチェックし、されていればS2310で担当者はそのアクションの検討にうつる。一方、アクションケースが開封されていない場合には、S2308で、知財権利化支援部門担当者及び知財権利化部門担当者上司へリマインドメールを送信し、S2309で知財権利化支援部門担当者または知財権利化部門担当者上司がアクションケースを強制的に引き上げ、アクションケースを他の担当者当てに送りなおすか、自らで処理を行う。

【0101】アクション検討後は、S2401で、アクション回答をシステム経由またはFAXで送付し、S2402でアクションに回答の書誌情報を管理サーバ2402のDBに登録する。そして、サーバ119はS2403でアクション回答(回答依頼)に対するID番号を発行し、S2404でID番号をアクション回答の送付先に対して送付する。その後、S2405でアクション回答の送付先に対して送付する。その後、S2405でアクション20回答の送付先からの請求書を受理し、S2406で請求書の項目その他が一致していれば、S2409で請求額を支払い、一致していなければ、S2407でエラー表示・相手先への通知をおこない、S2408で再送があれば上記チェックを繰り返す。

【0102】なお、上記ID番号は緊急のファックス受信の時、あるいはアクションケースの発生時に発行するようにしてもよい。

【0103】また、請求の支払いはオンラインで行って もよく、オフラインで行ってもよい。

【0104】図25は、アクションケースの処理状況を ユーザが確認するための表示画面の構成を説明する図で ある。

【0105】図25(1)は知財権利化部門担当者がクライアントPC上でアクションケース処理状況を確認する場合に表示画面の例を示す図である。

【0106】表示項目としては、アクションケースを送った先の人が、そのアクションケースにアクセスしたかどうかを表示する「開封」、そのアクションケースの返送を受領したかどうかを示す「返送」、アクションケー 40 スの種類を表す「アクションケース名」、アクションケースを送付した日付を示す「送付日」、送付先を示す

「送付先」、アクションケースの送付者が設定し、アクション検討の期限を示す「指定期限」、特許庁などへの 書類の提出期限を示す「法定期限」が順に表示される。

【0107】表示の方法のルールの一例を以下に説明する。

①送付先でアクションケースにアクセスがあったことを ネットワークを介してシステムが検出し、「開封」のボ ックスにマーキングする。 16

②送付日から起算してN日 (例えば3日) 経過後に「開封」されていなければ、そのアクションケースに対して必要な表示 (例えば黄色でペイントする) で知財権利化 部門担当者に対して視覚的にリマインドする。

③指定期限を過ぎると「開封」されているか否かにかかわらず、そのアクションケースに対して②とは異なる色(例えば青)でペイントし、知財権利化部門担当者に対して視覚的にリマインドする(ただしすでに返送が済んでいるものについては、ペイントは行わない)。

④ 法定期限のM日前(例えば7日前)になると「開封」されているか否か、指定期間を過ぎているか否かにかかわらず、そのアクションケースに対して②、③とは異なる色(例えば赤)でペイントし、知財権利化部門担当者に対して視覚的にリマインドする。

⑤緊急FAXにより発生したアクションケースについては、「開封」されているか否かにかかわらず、④と同じ色でペイントし、知財権利化部門担当者に対して視覚的にリマインドする。

⑥上記表示パラメータ(N, Mの数値、ペイントの色などのりマインドの条件)は知財権利化部門担当者がクライアントPC上で条件を設定し、そのクライアントPC内の不揮発性メモリに記憶させることにより、カスタマイズ可能とする。

【0108】次図26は、アクションケースの処理状況をユーザが確認するための表示画面の構成を説明する図である。

【0109】図26(2)は知財権利化部門担当者上司または知財権利化支援部門担当者がクライアントPC上で知財権利化部門担当者のアクションケース処理状況を確認する場合に表示画面の例を示す図である。

【0110】表示項目としては、アクションケースを担当する知財権利化部門担当者が、そのアクションケースにアクセスしたかどうかを表示する「開封」、そのアクションケースを検討依頼に回したかどうかを示す「依頼」、アクションケースの種類を表す「アクションケースの種類を表す「アクションケース名」、アクションケースを知財権利化部門担当者が受信した日付を示す「受信日」、知財権利化部門担当者名を示す「担当者名」、アクション検討の期限を示す「指定期限」、特許庁などへの書類の提出期限を示す「法定期限」が順に表示される。

【0111】表示の方法のルールの一例を以下に説明する。

①知財権利化部門担当者によりアクションケースにアクセスがあったことをネットワークを介してシステムが検出し、「開封」のボックスにマーキングする。

②知財権利化部門担当者がアクションケースを検討依頼 に出したことをネットワークを介してシステムが検出 し、「依頼」のボックスにマーキングする。

③担当者受信日から起算してP日(例えば7日)経過後

に「開封」されていなければ、そのアクションケースに 対して必要な表示(例えば赤でペイントする)で知財権 利化部門担当者の上司に対して視覚的にリマインドす る。

④担当者受信日から起算してQ日(例えば10日)経過後に「依頼」されていなければ、そのアクションケースに対して必要な表示(例えば黄色でペイントする)で知財権利化部門担当者の上司に対して視覚的にリマインドする。

⑤緊急FAXにより発生したアクションケースについては、「開封」されているか否かにかかわらず、③と同じ色でペイントし、知財権利化部門担当者の上司に対して視覚的にリマインドする。

⑥上記表示パラメータ(P. Qの数値、ペイントの色などのりマインドの条件)は知財権利化部門担当者の上司がクライアントPC上で条件を設定し、そのクライアントPC内の不揮発性メモリに記憶させることにより、カスタマイズ可能とする。

【0112】アクションケースにアクセスしたかどうかは、例えば、アクションケースの添付書類として文書サ 20 ーバ116に保持されている検討依頼書に対するアクセスがあったかどうかをサーバ119が定期的にチェックすることにより、実現することができる。

【0113】以上のような、アクセスチェックツールを設けることにより、ネットワーク環境下でメールの不調や本人のメール見落としなどの場合に第3者がリマインドあるいは代わりに処理することが可能となる。

【0114】(アクションケースの強制引きあげについて)上述のように、所定の権限を持つ人(例えば、アクションケース保持者の上司や、管理部門の責任者、その30保持者にアクションケースを送った人)は、アクションケースを自分の手元に強制的に引きあげることができる。

【0115】これは例えば、サーバ119のワークフロー管理テーブルの情報を書き換えて、アクションケースの保持者を変更することにより実現できる。このような機能は、例えばアクションケースの保持者が出張で不在の場合など、アクションケースの処理が滞りそうな場合に、特に有効である。

【0116】このとき、現在のアクションケースの保持 40 者に、強制引きあげがあった旨、及び、引きあげした人の情報、引き上げ日時などの情報を含むメールを現在のアクションケースの保持者に送る。これにより、アクションケース所持者は自分が所持していたアクションケースが引き上げられたことを認識することができる。

【0117】また、引き上げ後は、自らが検討・承認などのの処理を行ってもよいし、別のものに検討依頼・承認依頼を行ってもよい。

【0118】以上のツールは第1の実施の形態のシステムにも用いることができる。

18

【0119】図27は、上述のファックスで送付される 書類が紙媒体で送付される場合のシステムへの入力の方 法を示すフローチャートである。

【0120】まず、S2701で、知財権利化支援部門が紙の書類を受領する。この書類のカバーレターとしては、図22の2201と同様のものを用いる。

【0121】S2702で、カバーレターを知財権利化支援部門担当者に2103のイメージスキャナで読み取らせる。S2703でスキャナサーバ2102がカバーレター上の情報を認識する。S2704で、ケース番号を特定し、S2705で、システムの管理サーバ117にアクセスし、当該ケースの書誌情報画面をクライアントPCである2102のディスプレイ上に表示させる。

【0122】次にS2706で添付書類(例えば拒絶理由通知)2202を入力する。S2707で引用文献の添付があるかどうか判断し、ある場合には、その引用文献が引用文献のDBを構成するサーバ118に記憶されているどうかを判断し、すでに記憶されている場合にはその引用文献のスキャナ入力を行わない。一方、引用文献DBにその文献がない場合には、S2709で知財権利化支援部門担当者に対応番号の引用文献をスキャナ入力するようPCの画面上で促し他の引用文献がある場合には上記S2708からS2709の処理を繰り返す。以降、図28のS2801からS2806の処理は図23のS2305からS2310と同様なのでその説明を省略する。また図24の処理も同様である。

【0123】(文献データベースについて)図29~図33は、サーバ118に構築される引用文献データベースの使用方法を説明するためのクライアントPCの表示画面の図である。

【0124】図29は、ケース番号(案件)ごとの関連 資料を一覧表示したものである。2901は、ケース番 号であり、その会社の各国ごとの出願のリファレンス番 号である。この例では5桁の数字の後ろに国識別の英字 を組み合わせている。2902は、ファミリー番号であ り、出願内容が実質的に等価である出願群を表す。29 03は、出願国名であり、このケースでは、US(米 国)、EP(ヨーロッパ)、AU(オーストラリア)、 JP(日本)の出願が存在することを表す。2904 は、ケース番号12345USという米国出願に関連す る文献リストであり、主として、米国特許庁による審査 で引用されたものである。この例では、文献番号「12 000(自社ファミリー番号)」、「特開平05-12 345」、「USP123456」の3件がリスティン グされている。各文献番号ごとに、入手先、入手日、概 要、拒絶理由対象個所、本願における差別化ポイントな どの項目が表示される。2905は、そのケースのファ ミリー (この場合US、EP、AU、JP) すべての関 連文献を表示する。即ち、この例では、US以外で、E 50 Pケースでは「DE1200001」、AUケースでは 「USP123456」、CAケースでは「USP123456」、JPケースでは「特開平06-12345」の4件が引用されており、それぞれ、その入手先(例えばサーチレポート(SR))、入手日、概要などが表示される。さらに、米国(US)、中国(CN)でIDS(情報開示手続)が完了したか、していないか、或いはする必要がないかを示すIDS情報もあわせて表示される。このIDS情報は図29のようにUSとCNをあわせて1つのフラッグで表示してもよく、US, CNそれぞれ分けて情報を持ち、複数独立して表示させて10もよい。

【0125】このように、関連文献をファミリーで表示できるようにし、しかも関連文献のIDSの状態を示す表示を行うことにより、IDS漏れを防止することができるとともに、各国の権利化の際に、他の国での審査引用例を考慮しやすくなり、効率よく有効な権利の取得を行うことができる。

【0126】図30は、文献逆引き表示画面(タイプ1)であり、3001は文献番号を表す。3002はその書誌情報であり、例えば現状、出願番号と出願日、優先権基礎出願番号と優先日、公開番号と公開日、公告番号と公告日、登録番号と登録日を表示する。3003、3005はガイド表示であり、マウスのカーソルをあわせることで、その部分の機能説明を表示する。3004はこの文献の概要である。3006はこの文献が引用された自社の案件(ケース番号)をリスティングしたものである。ここで、ケース番号をクリックすると、サーバ116に登録された自社出願情報にアクセスすることができる。また、ここでは、ケース番号ごとに、項目(オフィスアクションなど経歴単位)、その日付、拒絶理由個所、本願との差別化のポイントなどの項目が表示される。

【0127】このように、文献をキーにしてその文献が引用された自社のケース番号を抽出・表示することで他のケースでその文献との差別化を行った際のポイントを即座に見出すことができ、オフィスアクションの検討を効率よく行うことができるなどの効果がある。

【0128】図31は、文献逆引き表示画面(タイプ2)であり、3101は文献番号を表す。3102は対応外国出願検索ボタンであり、このボタンを押すと、サ 40 ーバ118の特許検索DBとのリンクがとられ、ファミリー(例えば米国出願、日本出願など)の文書をみることができる。3103はこの文献の状況(登録、消滅など)を自動的にウオッチする社内手続を依頼するためのボタンである。3104はいずれかのケースで引用されたこの文献のファミリーの書誌情報を一覧表示したものである。3105は文献が引用されたケースの番号を逆引きしてケース一覧として表示したものである。たとえば、「USP12345U」、「0987651P」で引 50

20

用された文献であることが一目でわかるようになる。 【0129】図32はアクションケースでやり取りされる、オフィスアクション検討の結果(1案件の1経歴単位)を表示したものである。3201は、本件のケース番号、3202は開発権利化支援部門担当者、知財権利担当者の名前、連絡先、3203は本件の概要、3204は承認印、3205はオフィスアクションの種類を示す。3206はこのケースの発明が実施される自社製品、自社実施予定、他社製品を表示する。3207は開発部門・開発権利化支援部門検討者のコメントである。3207は開発部門・開発権利化支援部門検討者のコメントであり、その文献がUS.CNで先行技術開示されたか否かを示すフラッグ、引例の概要、拒絶理由対応個所、本件発明における差別化のポイントの項目が表示される。

【0130】図33は、各案件(ケース)単位での関連 文献の表示画面である。3301はケース番号、330 2はこのケース番号の現状や、出願・公開・登録番号な どの書誌的事項、3303は関連文献の書誌的事項、3 304はその文献の概要、3305は、その文献の入手 日付、入手方法、拒絶理由対応個所、差別化のポイント などのリストである。

【0131】以上のように、出願案件、経歴ごとに、関連文献情報を持つことにより、案件・経歴単位での文献検索・表示、更に文献単位の案件検索・表示が可能となり、拒絶理由通知の検討など、権利化処理を行なう上での効率を大幅に向上させることができる。特に、ネットワーク環境下で、書類のペーパーレスを行なう場合には、このような各案件・各経歴単位での文献のデータベースが有効となる。

【0132】図34~36は、上述のようなデータベースを構築するためのDB管理項目の定義を説明するための表である。

【0133】図34は、1文献単位にもつ情報であり、国、引例番号、文献番号、公開番号、公開日、遡及日、出願番号、出願日、公告番号、公告日、登録番号、登録日、キーワード、概要、メモ、ファミリーの項目を定義する表である。それぞれの項目に対して、概要、長さ、属性、入力者、チェック者、備考が定められている。

【0134】例えば、「国」という項目名はその文献の発行国を意味し、長さは英数の2文字、入力者・チェック者は事務部門(知財権利化支援部門)、備考として入力が必須であることを定義している。このようなルールに従い、文献データベースが構築される。

【0135】図35は、l案件(ケース番号に対応)単位に持つ情報であり、File No、引例番号、IDS有無、IDS種類、入手日、入手先の項目を定義する表である。それぞれの項目に対して、図35と同様の定義の仕方である。

ば、「USP12345」はケース番号「12345U 【0136】例えば、「FileNo.」という項目に対して S」、「12345AU」、「098765JP」で引 50 は、国まで指定する旨か定められ、属性は英数字、入力

者はシステム自動入力、チェック者なし、備考としてこ の項目が先行技術とこの案件とを結びつけるものである ことを定義している。

【0137】図36は、1案件(ケース番号に対応)の1 経歴(例えば上述のアクションケースに対応)の1引例単位にもつ情報であり、経歴番号、引例番号、拒絶理由対象個所、差別化ポイントの項目を定義している。それぞれの項目に対して、図35と同様の定義の仕方である。

【0138】例えば、「引例番号」という項目に対して 10 は、属性が英数字、入力者・チェック者が事務部門、備 考として、入力が必須であると定義している。

【0139】以上のように定義した項目を入力することにより、上述のようなDB管理、検索、表示が可能となる。

【0140】本願の発明は、前述した実施形態の機能を実現するソフトウェアのプログラムコードを記録した記憶媒体を、システムあるいは装置に供給し、そのシステムあるいは装置のコンピュータ(またはCPUやMPU)が記憶媒体に格納されたプログラムコードを読み出20し実行することによっても達成できる。

【0141】この場合、記憶媒体から読み出されたプログラムコード自体が前述した実施形態の機能を実現することになり、そのプログラムコードを記憶した記憶媒体は本発明を構成することになる。プログラムコードを供給するための記憶媒体としては、例えばフロッピー(登録商標)ディスク、ハードディスク、光ディスク、光磁気ディスク、CD-ROM、CD-R、磁気テープ、不揮発性のメモリカード、ROM等を用いることができる。

【0142】また、コンピュータが読み出したプログラムコードを実行することにより、前述した実施形態の機能が実現されるだけでなく、そのプログラムコードの指示に基づき、コンピュータ上で稼動しているOS(オペレーティングシステム)などが実際の処理の一部または全部を行い、その処理によって前述した実施形態の機能が実現される場合も含まれる。

【0143】さらに、記憶媒体から読み出されたプログラムコードが、コンピュータに挿入された拡張ボードや機能拡張ユニットに備わるメモリに書き込まれた後、そ 40のプログラムコードの指示に基づき、その機能拡張ボードや機能拡張ユニットに備わるCPU等が実際の処理の一部または全部を行い、その処理によって前述した実施形態の機能が実現される。

【0144】また、以上の実施の形態におけるワークフロー、データベース作成、システム構成などの考え方は任意に変形、組み合わせてもよい。

#### [0145]

【発明の効果】以上のように、本発明によれば、ネット ワークを介して情報を通信することにより、単一の案件 50 22

を複数人が検討する検討システムにおいて用いられる情報処理装置において、例えば、第1の検討者から第2の検討者に対して第1の情報を添付して所定の案件の検討を依頼する際に、第1の情報に含まれていなかった情報であって、その案件の検討に必要な情報を後から送付することができ、一部の材料で検討を早めに開始することができ、ネットワークによる効率のよい検討を行うことができる。

【図面の簡単な説明】

【図1】本実施の形態の知的財産管理システムの代表的 な構成を示す図

【図2】知的財産管理システムにおける情報の流通経路 を示す図

【図3】知財権利化部門105、開発権利化支援部門103、研究・開発部門102における組織図の例

【図4】本実施の形態におけるデータベース管理の方法 を説明する図

【図5】アクションケースの概念を説明するための図

【図6】出願書類を作成する出願ケースを示す図

20 【図7】拒絶理由に応答するための拒絶理由応答ケースを示す図

【図8】拒絶査定に対して応答するための拒絶査定応答 ケースを示す図

【図9】図3に示されるような組織構成における、アクションの検討経路の例を説明する図

【図10】アクション検討結果の承認の経路の例を説明 する図

【図11】図9、図10に示されるアクションの検討および承認の経路パターンを示すテーブル

30 【図12】図11のパターンテーブルを用いて部門別

(3)、知財権利化担当者別(4)にワークフローを自由に組み立てるためのパターン選択テーブル

【図13】アクションケースのフロー設定を示すフロー チャート

【図14】アクションケースに入るべき書類の後追い機能について説明する図

【図15】書類後追い処理を示すフローチャート

【図16】アクションケースのコピー機能を説明する図

【図17】コピーケースの使用方法をより具体的にあらわす図

【図18】開発部門内での情報伝達方法の一例を示す図

【図19】本システムにおける知財関連事務所からの請求書処理を示すフローチャート

【図20】第2の実施の形態の知的財産管理システムの 代表的な構成を示す図

【図21】知財権利化支援部門106に設置されている OA機器の例を示す図

【図22】ファクシミリのカバーページを示す図

【図23】FAX受信の処理の流れを表すフローチャー

【図24】FAX受信の処理の流れを表すフローチャー

【図25】アクションケースの処理状況をユーザが確認 するための表示画面の構成を説明する図

【図26】アクションケースの処理状況をユーザが確認 するための表示画面の構成を説明する図

【図27】ファックスで送付される書類が紙媒体で送付される場合のシステムへの入力の方法を示すフローチャート

【図28】ファックスで送付される書類が紙媒体で送付 10 される場合のシステムへの入力の方法を示すフローチャート

【図29】サーバ118に構築される引用文献データベースの使用方法を説明するためのクライアントPCの表示画面の図

【図30】サーバ118に構築される引用文献データベースの使用方法を説明するためのクライアントPCの表示画面の図

【図31】サーバ118に構築される引用文献データベ

24

ースの使用方法を説明するためのクライアントPCの表示画面の図

【図32】サーバ118に構築される引用文献データベースの使用方法を説明するためのクライアントPCの表示画面の図

【図33】サーバ118に構築される引用文献データベースの使用方法を説明するためのクライアントPCの表示画面の図

【図34】データベースを構築するためのDB管理項目 の定義を説明するための図


【図35】データベースを構築するためのDB管理項目の定義を説明するための図

【図36】データベースを構築するためのDB管理項目の定義を説明するための図


【符号の説明】


- 114 日本国特許庁
- 115 外国特許庁
- 104 知財情報管理部門

【図2】




【図3】





(15)

[図4]



【図12】

(3) 部門別経路パターンテーブル


研究・開発部門	アクション検討 経路パターン	アクション検討承 福経路パターン
與発部門 A	A001	B001
開発部門 B	A002	B002
開発部門C	A003	B003
開発部門D	A004	B004
MARKET E	A005	B005

(4) 知財権利化担当者別経路パターンテーブル


(4) Applied Hotals in a second					
知財權利化部門	アクション検討 経路パターン	アクション検討承 認経路パターン			
担当者A	A001	B005			
担当者B	A002	B004			
租当者C	A003	B003			
担当者D	A004	B002			
担当者E	A005	B001			

【図17】

コピーケースの考え方(2)



【図5】



【図6】

アクションケース例1 (出願ケース)

発生のタイミング	
自動	・発明者による発明説明書を含む提案ケースより「出願する」の指示がなされた場合に、作成される。 提案書類の識別のための提案番号は引き継がれる。
鄰	可能(ダイレクトまたは拒絶理由応答ケースから可能)
発生時の処理	・発生したときに提案番号がないもの(手動発生)は、便宜上仮の提案番号を採番する。 ・白酢に売の担合は、担客ケーファル発師的開建を助油患類シーアルカス
	・日朔にはならあられ、2008年の大学の大学の1952年では、1958年の1952年である。 ・指約理由応答ケースからの作政指示の場合は、原出顕番号の情報に、さかのぼった親の出願番号が入る(拒絶 理由応答ケース側の処理)。法定期限日も自動計算する。
処分	・出願中止…何らかの理由で中止することが可能。その場合は元の提案は、自動的に出願保留扱いにする。
(知財権利化部門の) み可能)	(知財権利/化部門の  ・出願(デフォルト) み可能)
治域のタイミング	
印	特許行に出願した結果のファイルがシステムに正式に登録された時点で完了になる。
指示	山願中止の処分がなされた場合。
消滅時の処理	・出願と同時の審査請求の指定がある場合 社内出願(自社代理人)であれば、該当案件の審査請求アクションケースを知財権利化支援部門所有で発生さ は、 小のなかます。 一年の第2000年を第2000年を第2000年の第2000年の第2000年を第2000年の第2000年を第2000年を第2000年を第2000年の第20000年の第20000年の第20000年の第2000年の第20000年の第20000年の第20000年の第2000000年の第20000年の第20000年の第20000年の第20000年の第2000000年の第20000年の第20000年の第20000年の第20000年の第2000000年の第2000
	せる。山鯛のみとして自注UB上の自注同物を更新する。 社外代理人であれば、審査請求済みの結果ファイルがいっしょに入っていないとエラー、入っている場合は該
	当案件を出願済み、審査請求済みとして管理DB上の管理情報を更新する。 - HBB に同時の基本等かの社会がおいまる
	・ロ線Clubeの毎日前来の19たいよい場合 分割出版の場合に限り、知財権利化部門所有で審査請求アクションケースを発生させる
曹頫一覧	
路連書類	発明說明書
通常書類	体領魯(社内、事務所)
广提出書類	願書
	最勝的
	図面
	要約律
毎光	・コピーケースの作成は不可とする。

【図7】

アクションケース例2 (拒絶理由応答ケース)


発生可能な人	システム
発生のタイミング	
自動	・特許庁より拒絶理由通知を受け取り、システムに登録されたとき
指示	・知財権利化支援部門、特許事務所で発生可能(低入力の場合)
発生時の処理	・法定期限日を設定し、拒絶理由通知が電子データであば、それを関連資料として取り込む。紙の場合は人が、スキャナ入力する。
処分 (知財権利)化部門のみ可能)	処分 (知財権利化部門の)・放置…担当者の画面に表示させないようにする。決定期限日の××日(ユーザの設定日)前に確認のため再み可能)
	・故置決定…上記で再表示したときにのみ指定可能。この処理で完了(消滅)となる。
消滅のタイミング	
自動	特許庁に応答した結果のファイルがシステムに正式に登録された時点で完了になる。
都示	故置決定の処分がなされた場合。
消滅時の処理	・特許庁への応答時の書類により、それぞれの処理を行う。 取り下げ、放棄等の書類以外に、名義変更等があればそれも反映する。
書類一覧	
関連書類	拒絶理由通知書
通常書類	アクション検討体質書
	<b> 校頓鲁 (事務所、社内)</b>
斤提出書類	法律に従った書類のみ可能。
確抗	


【図8】

アクションケース例3 (拒絶査定応答ケース)

一番中可能な人	システム
発生のタイミング	
自動	・特許庁より拒絶査定通知を受け取り、システムに登録されたとき。 ・審判請求のみ応答した拒絶査定応答ケースが完了した時点。
都派	・知財権利化支援部門、特許事務所で発生可能(紙入力の場合)。
発生時の処理	・法定期限日を設定し、拒絶査定通知が電子データであれば、それを関連資料として取り込む。紙の場合は人
	がスキャナ入力する。 ・審判請求のみ応答した拒絶査定応答ケースから発生した場合は、審判請求済みという状態で発生する。この ときは意見書を自動作成する。
処分 (特技のみ可能)	- 応答(デフォルト) - 故暦…担当者の画面に表示させないようにする。法定期限日の××日(ユーザの設定日)前に確認のため再
	度表示する。 ・故置決定…上記で再表示したときにのみ指定可能。この処理で完了(消滅)となる
消滅のタイミング	
自動	特許庁に応答した結果のファイルがシステムに正式に登録された時点で完了になる。
推示	故置決定の処分がなされた場合。
消滅時の処理	・特許庁への応答時の書類により、それぞれの処理を行う。審判請求のみの応答処理の場合、拒絶査定応答ア クションケースを同一のファイルNOで発生させる。
智数一覧	
関連書類	柜給查定通知書
	審判請求書(審判請求のみ応答した拒絶査定応答ケースから発生したとき)
通常售類	アクション検討体頻書
	体頻鲁 (事務所、社内)
斤提出書類	法律に従った曹類のみ可能。
備考	


[図9]






【図10】

### (1) 承認形態の例1



## (2) 承認形態の例2



【図36】

						<del></del>	
No.	項目名	概 要	長さ	属性	入力者	チェック	備 考
23	経歴番号			英数	システム	-	経歴と先行技術とを結びつ けるためのフラグ
24	引例番号			英数字	事務部門	事務部門	入力必須
25	拒絶理由対象個所			漢字	開発部門	権利化部門	新規レコードが発生したOA 時に入力・随時チェック
26	差別化ポイント			漢字	開発部門	権利化部門	新規レコードが発生したOA 時に入力・随時チェック

### 【図11】


## (1) アクション検討経路パターンテーブル

アクション検討 経路パターン	知財権利化 支援部門	知財權利化部門	開発権利化 支援部門	研究・開発部門
A001	システム自動 発生	課長→担当者	課長→担当者	課長→担当者
A002	システム自動 発生	担当者	なし	担当者
A003	システム自動 発生	課長→担当者	担当者	課長→担当者
A004	システム自動 発生	課長→担当者	課長→担当者	部長→課長→ 担当者
A005		担当者マニュア ル発生	なし	担当者

## (2) アクション検討承認経路パターンテーブル

アクション検討 経路パターン	研究・開発 部門	開発権利化 支援部門	知財権利化部門	知財権利化 支援部門
B001	担当者→課長 →部長→所長	担当者→課長→ 部長→所長	担当者→課長→ 部長→所長	システム自動 登 <del>録</del>
B002	担当者	なし	担当者	システム自動 登録
B003	担当者→課長	担当者	担当者→課長	システム自動 登 <del>録</del>
B004	担当者→課長 →部長	担当者→課長	担当者→課長	システム自動 登録
B005	なし	担当者	担当者	システム自動 登録


【図13】




(24)

【図14】


# 書類あと追い機能説明図



【図18】








[図16]


### コピーケースの考え方(1)

### 次の2通りが選択できる




システムは親子の関係を管理し、親から子の状態がわかるようにする。


依頼されたアクションを分割して返すのは原則として禁止する。(運用で)




【図19】








【図23】



(30)

【図24】



#### 【図25】

#### (1) アクションケース処理状况表示画面(知財権利化部門担当者用)

開對	返送	アクションケース名	送付日	送付先	指定期限	法定期限
		ドラフトチェック	00. 3. 15	斧明指(A)	001 31 22	00.4.6
0		拒絶理由検討依賴	00. 2. 1	担当者F	00. 4. 5	00. 4. 15
		拒絶查定検討依頼	00. 3. 20	担当者G	00. 4. 6	00. 4. 16
0	0	出願原稿チェック	00. 3. 18	発明者B	00. 3. 28	
O.		外国アクション検討依頼	001 21 20	担当各位	001 31 22	00.4.3
		緊急IFAX(問い合わせ)	00. 3. 23	発明者但	00. 3. 24	00. 3. 24

#### 現在2000年3月23日とする

#### 表示方法

- ①送付先でアクションケースにアクセスがあったことをネットワクを介してシステムが検出し、「開封」のボックスにマーキングする
- ②送付日から起算してN日 (例えば3日) 経過後に「開封」されていなければ、そのアクションケースに対して必要な表示 (例えば黄色でペイントする) で知財権利 化部門担当者に対して視覚的にリマインドする
- ③指定期限を過ぎると「開封」されているか否かにかかわらず、そのアクションケースに対して②とは異なる色 (例えば青) でペイントし、知財権利化部門担当者に対して視覚的にリマインドする (ただしすでに返送が済んでいるものについては、ペイントは行わない)
- ④法定期限のM日前(例えば7日前)になると「開封」されているか否か、指定期間を過ぎているか否かにかかわらず、そのアクションケースに対して②、③とは異なる色(例えば赤)でペイントし、知財権利化部門担当者に対して視覚的にリマインドする
- ⑤緊急FAXにより発生したアクションケースについては、「開封」されているか否かにかかわらず、④と同じ色でペイントし、知財権利化部門担当者に対して視覚的にリマインドする
- ⑥上記表示パラメータ(N.Mの数値、ペイントの色などのリマインドの条件)は知 財権利化部門担当者がクライアントPC上で条件を設定し、そのクライアントPC内 の不揮発性メモリに記憶させることにより、カスタマイズ可能とする

#### 【図26】

#### (2) アクションケース処理状況表示画面(知財権利化部門担当者の上司用)


開封	依賴	アクションケース名	担当者受信日	担当者名	指定期限	法定期限
		ドラフトチェック	00. 3. 15	担当者A二		00.413
0	0	拒絕理由検討依頼	00. 2. 1	担当者B	00. 4. 5	00. 4. 15
		拒絕查定檢討依賴	00. 3. 20	担当者C		00. 4. 16
0		出願原稿チェック	00. 2. 18	担当者B		
0	0	外国アクション検討依頼	00. 2. 20	担当者A	00. 3. 22	00. 4. 3
		緊急FAX(問い合わせ)	00. 3. 23	胆甾指亚		00. 3. 24

#### 現在2000年3月23日とする


#### 表示方法

- ①知財権利化部門担当者によりアクションケースにアクセスがあったことをネットワークを介してシステムが検出し、「開封」のボックスにマーキングする
- ②知財権利化部門担当者がアクションケースを検討依頼に出したことをネット ワークを介してシステムが検出し、「依頼」のボックスにマーキングする
- ③担当者受信日から起算してP日(例えば7日)経過後に「開封」されていなければ、そのアクションケースに対して必要な表示(例えば赤でペイントする)で知財権利化部門担当者の上司に対して視覚的にリマインドする
- ①担当者受信日から起算してQ日(例えば10日)経過後に「依頼」されていなければ、そのアクションケースに対して必要な表示(例えば黄色でペイントする)で知財権利化部門担当者に対して視覚的にリマインドする
- ⑤緊急FAXにより発生したアクションケースについては、「開封」されているか否かにかかわらず、③と同じ色でペイントし、知財権利化部門担当者の上司に対して視覚的にリマインドする
- ⑥上記表示パラメータ(P,Qの数値、ペイントの色などのリマインドの条件)は知 財権利化部門担当者の上司がクライアントPC上で条件を設定し、そのクライアントPC内の不揮発性メモリに記憶させることにより、カスタマイズ可能とする





【図28】




【図29】

				2901	l	904	<u> </u>	2902 2903	
		ケ	ース番号	: 12345U	S /		ファミ	リー番号:12345 出願国:US,EP,AU,CA,JP	
文献	号	入手先	入手日	概要		拒絶理由対象	象個所	差別化ポイント	
1200	- 1	開発 IDS		24 引用例の 08 入します	概要を記	-		本件(12345)との差別化ポイントを 記入します。	
特開 <sup>5</sup> 05- 1234	. (	調査課 IDS		25 調査部門 08 果も表示:		_		本件との差異は知財権利化部門などで記入します。	
USP 1234	56	IDS US 引例	2000. 01. 2000. 01.		ま左のように			(最新経歴での)本件との差別化ポイントを表示します。	
IDS	毬	頂ファ	ミリー名	文献番号	入手先	入手日	概要	<del></del>	
—— 未	-	1234	I5EP	DE 1200001	SR	2000. 02. 08	} ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	示をしていない場合は「未」と表示され (US,CN)	
<del>万</del>	全区	χ 1234	I5AU	USP 123456	引例	1999/12/29	情報開示をした場合には「済」と表示されます。		
済	全区	χ <sup>1234</sup>	I5CA	USP 123456	引 <b>例</b>	2000/01/15	同じ引例でも、ファミリーが異なる場合には 表示されます。		
<i>O</i> A			I5JP	特別平06-	引(例)	2000/02/08	USP123456の対応 JP が引例となった場合。 (USP123456とは別に項目を持っているの で、開示内容にずれがある場合にはその内容 を概要欄に記載できます。)		

2905

(36)


[図30]




【図35】

No.	項目名	概 要	きみ	属性	入力者	チェック	備 考
17	File No.	本件の File No.(国まで特 定)		英数字	システム	_	先行技術と本件とを結びつ ける
18	引例番号			英数字	システム	-	公開番号があれば公開番号、 なければ文献名を表示
19	IDS有無	有⇒1、 無=0	1	数字	事務部門	権利化部門	入力はUS、CNのみ
20	IDS種類	全文、対応件 提出、要約か ら選択	5	漢字	事務部門	権利化部門	入力はUSのみ
21	入手日	yyyy.mm.dd	10	数字	事務部門	_	本件での当該先行技術資料 の入手日
22	入手先		5	漢字	事務部門		SR、引例など


【図31】







【図33】



### 【図34】

No.	項目名	概 要	長さ	属性	入力者	チェック	備考
1	国	発行国	2	英数	事務部門	事務部門	入力必須
2	引例番号			英数字	システム	-	公開番号があれば公開番号、 なければ文献名を表示
3	文献番号			英数字	事務部門	事務部門	手入力必須
4	公開番号		· · · · · · · · · · · · · · · · · · ·	英数字	事務部門	事務部門	手入力必須
5	公開日	yyyy.mm.dd	10	数字	事務部門	事務部門	入力必須
6	遊及日	yyyy.mm.dd	10	数字	事務部門	事務部門	入力必須
7	出願番号			英数字	事務部門	事務部門	入力必須
8	出願日	yyyy.mm.dd	10	数字	事務部門	事務部門	入力必須
9	公告番号			英数字	事務部門	事務部門	あれば入力
10	公告日	yyyy.mm.dd	10	数字	事務部門	事務部門	あれば入力
11	登録番号			英数字	事務部門	事務部門	あれば入力
12	登録日	yyyy.mm.dd	10	数字	事務部門	事務部門	あれば入力
13	キーワード	固定キーワー ド	30	漢字	開発部門	権利化部門	新規レコードが発生したOA 時に入力・随時チェック
14	概要		80	漢字	開発部門	権利化部門	新規レコードが発生したOA 時に入力・随時チェック
15	メモ	引例そのもの に対するメモ	100	漢字	開発部門	権利化部門	新規レコードが発生したOA 時に入力・随時チェック
16	ファミリー	優先権基礎出 願があればそ の願番、なけ れば引例の願 番。		英数字	事務部門	事務部門	図31の作成のために必要。